

GUJARAT TECHNOLOGICAL UNIVERSITY
B. E. - SEMESTER – IV • EXAMINATION – WINTER 2012

Subject code: 140603

Date: 29/12/2012

Subject Name: Structural Analysis - II

Time: 02.30 pm - 05.00 pm

Total Marks: 70

Instructions:

1. Attempt any five questions.
2. Make suitable assumptions wherever necessary.
3. Figures to the right indicate full marks.
4. Draw neat and clean sketches, wherever required.

- Q.1** (a) Analyze the frame as shown in fig. 1, by using moment distribution method and draw bending moment diagram. **10**
- (b) Briefly explain various losses in prestress. **04**
- Q.2** (a) Using slope deflection method analyzes the beam as shown in fig. 2. Draw SFD and BMD both. **07**
- (b) Define the following terms. **07**
 Carry over factor, stiffness and distribution factor
- OR**
- (b) A pre-tensioned beam of size 100 mm x 300 mm is prestressed by a straight cables having an initial force of 200 kN, at an eccentricity of 60 mm. $E_s = 210 \text{ kN/mm}^2$ and $E_c = 35 \text{ kN/mm}^2$. Calculate the percentage of prestress in steel due to elastic shortening of concrete if area of steel wires is 188 mm^2 . **07**
- Q.3** (a) Analyze the fixed beam shown in fig. 3 and draw bending moment diagram only. **07**
- (b) Using consistent deformation method determines all reaction components of beam as shown in fig. 4 and plot SFD and BMD. **07**
- OR**
- Q.3** (a) Analyze the fixed beam shown in fig. 5 and draw bending moment diagram only. **07**
- (b) Using consistent deformation method determines all reaction components of beam as shown in fig. 6 and plot SFD and BMD. **07**
- Q.4** (a) Analyze the continuous beam as shown in fig. 7 by Kani's Method and draw bending moment diagram only. **07**
- (b) Draw the ILD for moment at B in the continuous beam as shown in fig. 8. Calculate the ordinates at 2 m intervals, assuming EI is constant throughout. **07**
- OR**
- Q.4** (a) Analyze the continuous beam as shown in fig. 9 by Kani's Method and draw bending moment diagram only. **07**
- Q.4** (b) Draw the ILD for shear force at D in the continuous beam as shown in fig. 10. Calculate the ordinates at 1 m intervals, assuming EI is constant throughout. **07**
- Q.5** (a) Determine horizontal deflection at point D for the frame as shown in fig. 11. Adopt $I = 2 \times 10^8 \text{ mm}^4$ and $E = 2 \times 10^5 \text{ MPa}$. **07**
- (b) Analyze the frame by using slope deflection method for fig. 12. Draw bending moment diagram also. **07**
- OR**
- Q.5** (a) Determine the deflection at point C of an overhanging beam as shown in fig. 13. Adopt $E = 2 \times 10^5 \text{ N/mm}^2$ and $I = 2 \times 10^8 \text{ mm}^4$. **07**
- (b) The bent ABC is shown in fig. 14. Analyze using slope deflection method and plot bending moment diagram only. **07**




Fig. 1 (Q-1 (a))




Fig. 2 (Q-2 (a))




Fig. 3 (Q-3 (a))




Fig. 4 (Q-3 (b))




Fig. 5 (OR Q-3 (a))




Fig. 6 (OR Q-3 (b))




Fig. 7 (Q-4 (a))




Fig. 8 (Q-4 (b))




Fig. 9 (OR Q-4 (a))




Fig. 10 (OR Q-4 (b))




Fig. 11 (Q-5 (a))




Fig. 12 (Q-5 (b))




Fig. 13 (OR Q-5 (a))




Fig. 14 (OR Q-5 (b))

