
Seat No.:	Enrolment No.

GUJARAT TECHNOLOGICAL UNIVERSITY

BE - SEMESTER V-EXAMINATION - SUMMER - 2014

U		5-06-2014	
•	: 10	Name: Structural Analysis - III .30AM to 01.00PM Total Management	arks: 70
111511	1. 2.	Attempt all questions. Make suitable assumptions wherever necessary. Figures to the right indicate full marks.	
Q.1	(a)	Derive an expression for meridional thrust and hoop force for a spherical Dome Subjected to concentrated load at the crown.	07
	(b)	•	07
0.4	()	of each span.	0=
Q.2	(a) (b)		07 07
	(b)		07
Q.3	(a)	A fixed cam of span L meter carries an eccentric point load W at a distance 'a' meter from left support A. Determine the value of W at collapse.	07
	(b)	A beam circular in plan is loaded with uniformly distributed load of 80 kN/m inclusive of self weight. The radius of the beam is 8 meter. The beam is supported by six symmetrically placed columns. Draw Shear force, bending moment and Twisting moment diagram for one of the span.	07
		OR	
Q.3	(a)	Calculate the Mp required for a fixed beam of span 12 meter and loaded by a collapse udl of 30 kN/m over left half 6 meter and a collapse concentrated load of 80 kN at 8 meter from left support.	07
	(b)	A conical Dome has the following details.: Span of the Dome = 20 meter Rise = 4 meter Live load, etc. = 2.0 kN/m^2 Calculate maximum meridional thrust and hoop force in the conical dome.	07

- Explain the following matrix equations used in stiffness method of 07 0.4 analysis.
 - 1. AD = ADL + SD
 - 2. AR = ARL + ARD.D.
 - 3. AM = AML + AMD.D
 - (b) For the structure shown in fig.1 calculate load vector (AD-ADL) and 07 stiffness matrix (S).



(a) For the structure shown in fig.2 calculate the flexibility matrix and 07 **Q.4** displacement vector.





fig.2

- (b) For the structure shown in fig.2 calculate the member end actions and 07 draw shear force and bending moment diagrams.
- (a) A Spherical domewith a span of 18 meter and central rise of 4 meter **Q.5 07** has all inclusive load of 14 kN/m². Calculate all the stresses at the mid height.
 - (b) Find shape factor for a beam of circular section of radius R. 07

OR

- Derive the expression for Mø and Tø for a curved beam fixed at ends. 07 Q.5 (a)
 - .Using flexibility method analyse the pin jointed plane truss shown in fig.3. The cross-sectional areas A and modulus of elasticity E for all members is the same.



A

fig.3.

dumination to lividing. Com