Seat No.: Enrolment No.
-------------------------

## **GUJARAT TECHNOLOGICAL UNIVERSITY**

## **BE SEM-III Examination May 2012**

Subject code: 131901

Date: 11/05/2012 Time: 02.30 pm – 05.00 pm Total Marks: 70

•	4		4 •		
In	str	110	t11	mc	
111	ou.	uv	u	ш	

- 1. Attempt all questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.

Q.1	(a) (b)	<b>A</b>				
Q.2	(a)	Explain speed control of dc shunt and series motor by armature control and flux control method				
	(b)	Determine Armature torque and Shaft torque of 220 V, 4-pole, series motor with 800 conductors wave connected supplying a load of 8.2KW by taking 45 A from the mains. The flux per pole is 25 mwb and its armature circuit resistance is 0.6 ohm  OR	07			
	<b>(b)</b>	Explain Three point dc shunt motor starter	07			
Q.3	(a)	Explain construction of single phase transformer	07			
	<b>(b)</b>	Explain different methods of speed control of three phase induction motor <b>OR</b>	07			
Q.3	(a)	What are the conditions to be fulfilled for parallel operation of two synchronous machine? Give any one method of synchronizing	07			
	<b>(b)</b>	Describe, construction features and operating characteristic of a shaded pole motor also give its applications	07			
Q.4	(a)	Write short notes on substation Equipment	07			
	(b)	A 12-pole, three phase, 600 V,50 Hz star connected induction motor has rotor resistance and stand-still reactance of 0.03 and 0.5 ohm per phase respectively. Calculate (1) Speed of maximum torque (2) Ratio of full load torque to maximum torque, if the full-load speed is 495 rpm  OR	07			
Q.4	(a)		07			
	<b>(b)</b>	Explain different methods to improve power factor	07			
Q.5	(a)	Explain De-morgan's theorm	07			
	<b>(b)</b>	What are the causes of low power factor also list disadvantage of low power factor	07			
		OR				
Q.5	(a)	Define rectification. Draw and explain operation of three phase full wave rectifier	07			
	<b>(b)</b>	Draw Functional block diagram of 8085 microprocessor and explain in brief	07			

\*\*\*\*\*