

Test Booklet Code

RIGUD

This Booklet contains 32 pages, including Rough Page. Do not open this Test Booklet until you are asked to do so.

Important Instructions:

 The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with blue/black ball point pen only.
 The test is of 3 being 20 and the Test Booklet contains 200. 2. The test is of 3 hours 20 minutes duration and the Test Booklet contains 200 multiple-choice questions (four options with David Toology). (four options with a single correct answer) from Physics, Chemistry and Biology (Botany and Zoology).

(b) Section B shall consist of 15 (Fifteen) questions in each subject (Question Nos – 36 to 50, 86 to 100, 136 to 130 and 186 to 200). In Section B, a candidate needs to attempt any 10 (Ten) questions out of 15 (Fifteen) in each subject.

Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.

Each question carries 4 marks. For each correct response, the candidate will get 4 marks. For each incorrect response, one mark will be deducted from the total scores. The maximum marks are 720.

Use Blue/Black Ball Point Pen only for writing particulars on this page/marking responses on 5.

Rough work is to be done in the space provided for this purpose in the Test Booklet only.

On completion of the test, the candidate must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.

The CODE for this Booklet is Q4. Make sure that the CODE printed on the Original Copy of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the

The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet

Use of white fluid for correction is **NOT** permissible on the Answer Sheet. 10. Each candidate must show on-demand his/her Admit Card to the Invigilator.

Each candidate must show on-demand mis/ner Admire and to the Invigilator.
 No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
 The candidates should not leave the Commination Hall without handing over their Answer Sheet to the Invigilator and sign (with time) the Attendance Sheet twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt

with as an Unian Means page.

13. Use of Electronic/Manual Calculator is prohibited.

14. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room fall. All cases of unfair means will be dealt with as per the Rules and Regulations of 15. No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.


15. No part of the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the


Attendance sheet.


17. Compensatory time of one hour five minutes will be provided for the examination of three hours and compensatory duration, whether such candidate (having a physical direction to write) uses the facility. Compensatory united the find the influtes will be provided for the examination of three hours and 20 minutes duration, whether such candidate (having a physical limitation to write) uses the facility of


KRISHANAKANT Name of the Candidate (in Capitals): Roll Number: In figures _ iousand eighty one Centre of Examination (in Capitals): Candidate's Signature: _

Q4 English J









NAND gate

(3) 0.5×10^5

(2) NOR gate

(2) 1×10^5

(4) zero

- OR gate
- AND gate
- If the monochromatic source young's double 3 slit experiment is replaced by white light, then
 - (1) interference patter will disappear.
 - (2) there will be a central dark fringe surrounded by a few coloured fringes.
 - (3) there will be a central bright white fringe surrounded by a few coloured fringes.
 - (4) all bright fringes will be of equal width.
- In a vernier calipers, (N+1) divisions of vernier 4 scale coincide with N divisions of main scale. If 1 MSD represents 0.1 mm, the vernier constant (in cm) is:
- (3) 100N

Q4_English |

(2) 100(N+1)(4) 10(N+1) $(N+1) = N(N_2SD)$

- The maximum elongation of a steel wire of 1 m length if the clastic limit of steel and its Young's modulus, respectively, are 8 × 108 N m⁻² and $2 \times 10^{11} \text{ N m}^{-2}$, is:
- (1) 4 mm
- (2) 0.4 mm
- (3) 40 mm

6

117 X

(4) 8 mm

The moment of inertia of a thin rod about an axis passing through its mid point and perpendicular to the rod is 2400 g cm^2 . The length of the 400 g^{-12} rod is nearly:

- (1) 8.5 cm
- (2) 17.5 cm
- (3) 20.7 cm

A tightly wound 100 turns coil of radius 7 10 cm carries a current of 7 A. The magnitude of the magnetic field at the centre of the coil is (Take

MnIA permeability of free space as $4\pi \times 10^{-7}$ SI units):

- (1) 44 mT
- (2) 4.4 T

(4) 44T 41T X10 T X100 X T X 10 4T X 10 X 7 88 X 10


8 At any instant of time t, the displacement of any particle is given by 2t - 1 (SI unit) under the influence of force of 5N. The value of instantaneous power is (in SI unit): $\rho = \omega$


- (H) 10
- $V_{1} \Rightarrow V_{1} = 0$ (2) 5 R = FS $V_{1} \Rightarrow V_{2} = 0$ $V_{1} \Rightarrow V_{2} = 0$ $V_{3} \Rightarrow V_{4} = 0$ (3) 7


Two bodies A and B of same mass undergo 9 completely inelastic one dimensional collision. The body A moves with velocity v_1 while body B is at rest before collision. The velocity of the system after collision is v_2 . The ratio $v_1 : v_2$ is :

- (H) 1:2
- (2) 2:1
- (3) 4:1
- (4) 1:4

A horizontal force 10 N is applied to a block A as 10 shown in figure. The mass of blocks A and B are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is:







(1) 19.6 m s⁻²

(2) 9.8 m s⁻²

(3) 4.9 m s⁻²

Consider the following statements A and B and 12 identify the correct answer:

IA	
$ \begin{array}{c c} (II) & (I) \\ \hline (III) & (IV) \end{array} $	B-0
	12.1

- For a solar-cell, the I-V characteristics lies in the IV quadrant of the given graph.
- In a reverse biased pn junction diode, the current measured in (μA) , is due to majority charge carriers.


(1) A is correct but B is incorrect. (2) A is incorrect but B is correct.

10000

(3) Both A and B are correct.

(4) Both A and B are incorrect.

A light ray enters through a wint angled prism at 13 point P with the angle of orcidence 30° as shown in figure. It travels through the prism parallel to its base BC and emerges along the face AC. The refractive index of the prism is:



- Given below are two statements: 14 Statement 1: Aloms are electrically neutral as they contain equal number of positive and negative charges.


Statement II: Along of each element are stable and emit their characteristic spectrum. In the light of the above statements, choose the

most appropriate answer from the options given helow:

W Both Statement I and Statement II are correct.

- Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.

15 A thin flat circular disc of radius 4.5 cm is placed gently over the surface of water. If surface tension of water is 0.07 Nm⁻¹, then the excess force required to take it away from the surface is:



In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solenoid-2, respectively, are through the directions:

- (1) AB and DC
 - (2) BA and CD
- (3) AB and CD
- (4) BA and DC

A particle moving with uniform speed in a circular path maintains:

- (1) constant velocity.
- (2) constant acceleration.
- (3) constant velocity but varying acceleration,
- (3) constant
 (4) varying velocity and varying acceleration.

[Contd...

3 -

18 Match List I with List II.

List I

(Spectral Lines of (Wavelengths (nm))

Hydrogen for

transitions from)

A.
$$n_2 = 3$$
 to $n_1 = 2$

B.
$$n_2 = 4$$
 to $n_1 = 2$

C.
$$n_2 = 5$$
 to $n_1 = 2$

D.
$$n_2 = 6$$
 to $n_1 = 2$

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-III, B-IV, C-II, D-I
- (3) A-IV, B-III, C-I, D-II
- (4) A-I, B-II, C-III, D-IV
- The quantities which have the same dimensions as those of solid angle are:
 - strain and angle
 - (2) stress and angle
 - (3) strain and arc
 - (4) angular speed and stress
- 20 An unpolarised light beam strikes a glass surface at Brewster's angle. Then
 - (1) the reflected light will be partially polarised.
 - (2) the refracted light will be completely polarised.
 - (3) both the reflected and refracted light will be completely polarised.
 - the reflected light will be completely polarised but the refracted light will be partially polarised.

Q4_English]

21 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: The potential (V) at any axial point, at 2 m distance(r) from the centre of the dipole of dipole moment vector \overrightarrow{P} of magnitude, 4×10^{-6} C m, is $\pm 9 \times 10^{3}$ V.

A logic following

The ext

If cist

D.

E.

Cho

belo

(1)

(2)

(3)

(4)

A b

tens

whi

(1)

27


(Take
$$\frac{1}{4\pi \in_0} = 9 \times 10^9$$
 SI units)

Reason R:
$$V = \pm \frac{2P}{4\pi \in {}_{0}r^{2}}$$
, where r is the 25

distance of any axial point, situated at 2 m from the centre of the dipole.

In the light of the above statements, choose the *correct* answer from the options given below:

- (1) Both A and R are true and R is the correct explanation of A.
- (2) Both A and R are true and R is NOT the correct explanation of A.
- (3) A is true but R is false.
- (4) A is false but R is true.
- A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is v in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, 26 respectively)?



- (1) Point P moves slower than point Q.
- (2) Point P moves faster than point Q.
- (3) Both the points P and Q move with equal speed.
- (4) Point P has zero speed.
- 23 If $x = 5\sin\left(\pi t + \frac{\pi}{3}\right)m$ represents the motion of a particle executing simple harmonic motion, the amplitude and time period of motion, respectively, are:
 - (1) 5 cm, 2 s
- (2) 5 m, 2 s
- (3) 5 cm, 1 s
- (4) 5 m, 1 s

A logic circuit provides the output Y as per the 24 following truth table:

_		
A	B	Y
0	0	1
0	1	0
1	0	1
1	1	0


The expression for the output Y is:

- $A.B + \overline{A}$
- (2) $A.\overline{B} + \overline{A}$
- (3)
- 25 If c is the velocity of light in free space, the correct statements about photon among the following are:
 - A. The energy of a photon is E = hv.
 - B. The velocity of a photon is c.
 - The momentum of a photon, $p = \frac{hv}{c}$.
 - In a photon-electron collision, both total energy and total momentum are conserved.
 - Photon possesses positive charge.

Choose the correct answer from the options given below:

- (1) A and B only
- (2) A, B, C and D only
- (3) A, C and D only
- (4) A, B, D and E only
- A bob is whirled in a horizontal plane by means 26 of a string with an initial speer of ω rpm. The tension in the string is T_{ω} speed becomes 2ω while keeping the same adius, the tension in the string becomes:
 - (1) T

- The terminal voltage of the battery, whose emf is 27 10V and internal resistance 1Ω , when connected through an external resistance of 4Ω as shown in the figure is:



Q4_English]

In a uniform magnetic needle performetic field of 0.049 T, a magnetic needle performs 20 complete oscillations in 5 seconds as sh. 20 complete oscillations tip of the 5 seconds as shown. The moment of inertia of the needle is 9.8 hown. The moment of inertia of magnetic more 10-6 kg m². If the magnitude of magnetic m_{0ment} of the needle is $x \times 10^{-5}$ Am²; then the value of 'x' is:



- (2) $128 \pi^2$
- (3) $50 \pi^2$
- (4) $1280 \pi^2$
- A wire of length 'l' and resistance 100Ω is 29 divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are again connected in series. The resistance of this final combination is:
 - (1) 26Ω
- (2) 52 Ω
- (3) 55 Ω
- (4) 60Ω
- Match List-I with List-II.

List-I	List-II
(Material)	(Susceptibility (χ))


- A. Diamagnetic
- $\chi = 0$
- B. Ferromagnetic
- $0 > \chi \ge -1$ II.
- Paramagnetic C.
- III. $\chi \gg 1$
- D. Non-magnetic ·
- IV. $0 < \chi < \varepsilon$ (a small


positive number) Choose the correct answer from the options given


- below: (1) A-II, B-III, C-IV, D-I
- (2) A-II, B-I, C-III, D-IV
- (3) A-III, B-II, C-I, D-IV
- (4) A-IV, B-III, C-II, D-I

number and atomic number of the product O respectively, are:

- (1) 280,81
- (2) 286, 80
- (3) 288, 82
- (4) 286, 81







In an ideal transformer, the turns ratio is $\frac{Np}{N} = \frac{1}{2}$. The ratio V_s : V_p is equal to (the symbols carry their usual meaning):


(X) 1:2

(2) 2:1

(3) 1:1

m (4) 1:4 LO

34 A thermodynamic system is taken through the cycle abcda. The work done by the gas along the path bc is:



20


Q

19

00 (2) 30 J


(4) -60 J

In the following circuit, the equivalent capacitance between terminal A and terminal B is:



- Physics: Section-B (Q. No. 36 to 50) If the plates of a parallel plate capacitor connected to a battery are moved close to each other, then 36

 - C.
 - the energy stored in it, decreases. its capacitance increases D.
 - the ratio of charge to its potential remains E.
 - the product of charge and voltage increases E. the process appropriate answer from the
 - (1) A, B and E only (2) A, C and E only (4) A, D and E only (4)
 - (3) B, D and E only (4) A, B and Conly
- A 10 μF capacitor is connected to a 210 V, 50 Hz 37 source as shown in figure. The peak current in the circuit is nearly $(\pi = 3.14)$



(1) 0.58 A

(2) 0.93 A


(3) 1.20 A


(4) 035 A

A force defined by $F = \alpha t^2 + \beta t$ acts on a particle 38 at a given time t. The factor which is dimensionless, if α and β are constants, is:

(1)
$$\frac{\beta t}{\alpha}$$


The following graph represents the T-V curves of an ideal gas (where T is the temperature and V39 the volume) at three pressures P_1 , P_2 and P_3 compared with those of Charles's law represented as dotted lines.







- An iron bar of length L has magnetic moment M. 40 It is bent at the middle of its length such that the two arms make an angle 60° with each other. The magnetic moment of this new magnet is:
 - (1) M

- (3) 2 M
- A parallel plate capacitor is charged by connecting 41 it to a battery through a resistor. If I is the current in the circuit, then in the gap between the plates:
 - (1) there is no current.
 - (2) displacement current of magnitude equal to I flows in the same direction as I.
 - (3) displacement current of magnitude equal to I flows in a direction opposite to that of I.
 - (4) displacement current of magnitude greater than I flows but can be in any direction.
- 42 A metallic bar of Young's modulus, $0.5 \times 10^{11} \, N \, m^{-2}$ and coefficient of linear thermal expansion 10-5 °C-1, length 1 m and area of cross-section 10⁻³ m² is heated from 0°C to 100°C without expansion or bending. The compressive force developed in it is:
 - (1) $5 \times 10^3 \,\text{N}$
- (3) $100 \times 10^3 \,\mathrm{N}$
- Choose the correct circuit which can achieve the 43 bridge balance.













The velocity (v) - time (1) plot of the motion of a body is shown below:




The acceleration (a) - time (1) graph that best suits this motion is:









- A small telescope has an objective of focal length 140 cm and an eye piece of focal length 5.0 cm. The magnifying power of telescope for viewing a distant object is:
 - (1) 34
- (2) 28
- (3) 17
- (4) 32
- The minimum energy required to launch a satellite 46 of mass m from the surface of earth of mass M and radius R in a circular orbit at an altitude of 2R from the surface of the earth is:

Q4 English]

[Contd...

7.

47	If the mass of the bob in a simple pendulum is increased to thrice its original pendulum is
co.e.a	increased to thrice its original simple pendulum
	is made half its original length then the new time
	period of oscillation is times its assignal time
	period. Then the value of v is:

(1) $\sqrt{3}$

 $(2)^{2}\sqrt{2}$

(3) $2\sqrt{3}$

(A) 4

- A sheet is placed on a horizontal surface in front of a strong magnetic pole. A force is needed to:
 - A. hold the sheet there if it is magnetic.
 - B. hold the sheet there if it is non-magnetic.
 - C. move the sheet away from the pole with uniform velocity if it is conducting.
 - D. move the sheet away from the pole with uniform velocity if it is both, non-conducting and non-polar.

Choose the correct statement(s) from the options given below:

10

- (1) B and D only
- (2) A and C only
- (3) A, C and D only
- (4) Conly
- Two heaters A and B have power rating of 1 kW and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outputs for these two cases is:
 - (1) 1:1
- (2) 2:9
- (3) 1:2
- (4) 2:3
- The property which is not of an electromagnetic wave travelling in free space is that:
 - (1) they are transverse in nature.
 - (2) the energy density in electric field is equal to energy density in magnetic field.
 - (3) they travel with a speed equal to $\frac{1}{\sqrt{\mu_0 \in_0}}$.
 - (4) they originate from charges moving with uniform speed.

Chemistry: Section-A (Q. No. 51 to 85)

- 51 Among Group 16 elements, which one does NO show -2 oxidation state?
 - (1) O

(2) Se

(3) Te

(4) Po

52 Match List I with List II.

List I

List II

(Molecule) (Number and types of bond/s between two carbon atoms)

A. ethane

two π-bonds

B. ethene C. carbon

II. fwo π-bonds
III. one σ-bond

molecule, C₂
D. ethyne

IV. Cone σ-bond and

Choose the correct answer from the options gives below:

- (1) A-I, B-IV, C-II, D-III
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-IV, C-II, D-I
- (4) A-III, B-IV, C-I, D-II
- 53 Fehling's solution 'A' is
 - (1) aqueous copper sulphate
 - (2) alkaline copper sulphate
 - (3) alkaline solution of sodium potassium tartrate (Rochelle's salt)
 - (4) aqueous sodium citrate
- 54 Match List I with List II.

List I (Conversion) List II
(Number of
Faraday required)

1F

B. 1 mol of MnO₄ to O II. 2F

C. 1.5 mol of Ca from molten CaCl₂


D. 1 mol of FeO to Fe₂O₃ IV. 5F Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-IV, C-II, D-I

Identify the correct reagents that would bring about the following transformation.

$$CH_2 - CH_2 - CH_2 \rightarrow CH_2 - CH_2 - CH_2$$

- (1) (i) H₂O/H+
 - (ii) CrO₃
- (2) (i) BH₃
 - (ii) H_2O_2/OH
 - (iii) PCC
- (3) (i) BH₃
 - (ii) H₂O₂/OH
 - (iii) alk. KMnO₄
 - (iv) H₃O[⊕]
- (4) (i) H₂O/H⁺
 - (ii) PCC
- 56 Intramolecular hydrogen bonding is present in



- 57 Activation energy of any chemical reaction can be calculated if one knows the value of
 - (1) rate constant at standard temperature.
 - (2) probability of collision.
 - (3) orientation of reactant molecules during collision
 - (4) rate constant at two different temperatures.

Match List I with List II.

List I (Complex)

List II (Type of isomerism)

- A. $\left[Co(NH_3)_5(NO_2^{(7)}) CI_2 \right]$
- . Solvate

isomerism

- B. $\left[\text{Co} \left(\text{NH}_3 \right)_5 \left(\text{SO}_4 \right) \right]_{\text{Br}}$
- II. Linkage

isomerism

- C. $\left[\text{Co}(\text{NH}_3)_6 \right] \left[\text{Cr}(\text{CN})_6 \right]$
- III. Ionization

isomerism

- D. $\left[\text{Co} \left(\text{H}_2 \text{O} \right)_6 \right] \text{Cl}_3$
- IV. Coordination

isomerism

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-I, B-III, C-IV, D-II
- (3) A-I, B-IV, Ç-HI, D-II
- (4) A-II, B-IV, C-III, D-I
- 59 1 gram of sodium hydroxide was treated with 25 mL of 0.75 M HCl solution, the mass of sodium hydroxide left unreacted is equal to
 - (1) 750 mg
- (2) 250 mg
- (3) Zero mg
- (4) 200 mg
- . . .
- Arrange the following elements in increasing order of electronegativity:

N, O, F, C, Si

Choose the correct answer from the options given below:

- (1) Si < C < N < O < F
- (2) si < C < O < N < F
- (4) F<0<N<C<Si

Contd.

Q4_English]

9

Match List I with List II.

List I (Process)

List II

(Conditions)

- A. Isothermal process
- I. No heat exchange
- B. Isochoric process
- II. Carried out at constant temperature
- C. Isobaric process
- III. Carried out at constant volume
- D. Adiabatic process
- IV. Carried out at constant pressure

Choose the correct answer from the options given below:


- (1) A-IV, B-III, C-II, D-I
- (2) A-IV, B-II, C-III, D-I
- (3) A-I, B-II, C-III, D-IV
- (4) A-II, B-III, C-IV, D-I
- Which one of the following alcohols reacts instantaneously with Lucas reagent?
 - (1) $CH_3 CH_2 CH_2 CH_2OH$
 - (2) CH₃-CH₂-CH-OH CH₃
 - (3) CH₃ CH CH₃ CH₄ C
 - (4) CH₃ C OH CH₃
- 63 The energy of an electron in the ground state (n = 1) for He⁺ ion is -x J, then that for an electron in n = 2 state for Be³⁺ ion in J is:
 - (1) x
- (2) $-\frac{x}{9}$
- (3) -4x
- (4) $-\frac{4}{9}x$

Q4_English]


1

The compound that will undergo S_N¹ reaction with the fastest rate is


(1) On Br





(3) Br




- 65 The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145, 2×10⁻⁵ and 35 kbar, respectively. The solubility of these gases in water follow the order:
 - (1) B>A>C
- (2) B>C>A
- (3) A>C>B
- (4) A>B>C
- Which plot of $\ln k$ vs $\frac{1}{T}$ is consistent with Arrhenius equation?









In which of the following equilibria, K_p and K_c are **NOT** equal?

$$(1)^{\text{T}} \operatorname{PCl}_{5(g)} \rightleftharpoons \operatorname{PCl}_{3(g)} + \operatorname{Cl}_{2(g)}$$

- (2) $H_{2(g)} + I_{2(g)} \rightleftharpoons 2 HI_{(g)}$
- (3) $CO_{(g)} + H_2O_{(g)} \rightleftharpoons CO_{2(g)} + H_{2(g)}$
- (4) $2 \operatorname{BrCl}_{(g)} \rightleftharpoons \operatorname{Br}_{2(g)} + \operatorname{Cl}_{2(g)}$

68 Given below are two statements:

Statement I: The boiling point of three isomeric pentanes follows the order

n-pentane > isopentane > neopentane

Statement II: When branching increases, the molecule attains a shape of sphere. This results in smaller surface area for contact, due to which the intermolecular forces between the spherical molecules are weak, thereby lowering the boiling point.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.
- 69 The reagents with which glucose does not react to give the corresponding tests/products are
 - A. Tollen's reagent
 - B. Schiff's reagent
 - C. HCN
 - D. NH₂OH
 - E. NaHSO₃

Choose the correct options from the given below:

- (1) B and C
- (2) A and D
- (3) B and E
- (4) E and D
- 70 In which of the following processes entropy increases?
 - A. A liquid evaporates to vapour.
 - B. Temperature of a crystalline solid lowered from 130 K to 0 K.
 - C. $2 \text{ NaHCO}_{3(s)} \rightarrow \text{Na}_2\text{CO}_{3(s)} + \text{CO}_{2(g)} + \text{H}_2\text{O}_{(g)}$
 - D. $Cl_{2(g)} \rightarrow 2 Cl_{(g)}$

Choose the correct answer from the options given below:

- (1) A and C
- (2) A, B and D
- (3) A, C and D
- (4) C and D

Q4_English]

71 Match List I With List II.

List II (Reagents/ Condition)

- II. CrO₃
- C. OOH, CO
- III. KMnO₄/ KOH, Δ

IV. (i) O₃

(ii) Zn-H₂O

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-III D-II
- (2) A-III, B-I, C-II, D-IV
- (3) A-IV, B-I, C-II, D-III
- (4) A-I, B-IV, C-II, D-III
- 72 Given below are two statements:

Statement I: The boiling point of hydrides of Group 16 elements follow the order

 $H_2O > H_2Te > H_2Se > H_2S$.

Statement II: On the basis of molecular mass, H₂O is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H₂O, it has higher boiling point.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I are true.
- (2) Both Statement Land Statement II are false.
- (3) Statement I is true but Statement II is false.
- (4) Statement I is false but Statement II is true.

For the reaction $2A \rightleftharpoons B+C$, $K_c = 4 \times 10^{-3}$. At a given time, the composition of reaction mixture

is: $[A] = [B] = [C] = 2 \times 10^{-3} M$. Then, which of the following is correct?

Then, which is at equilibrium.

(1) Reaction is at equilibrium.

- (1) Reaction has a tendency to go in forward direction.
 - (3) Reaction has a tendency to go in backward direction.
 - (4) Reaction has gone to completion in forward direction.

 $4 \times 10^{-6} \times 4 \times 10^{-6} \times 4 \times 10^{-6} = 18 \times 10^{-6} \times 10^{-6}$

11

74 Match List I with List II.

List I Quantum Number	List II
A. m_l	Information provided I. shape of orbital
B. m_s	5 70 a C 1 40
C. 1	III. orientation of
D. <u>n</u>	IV. Orbital orientation of spin
Choose the correct a	of electron

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
- (2) A-III, B-IV, C-I, D-II
- (3) A-III, B-IV, C-II, D-I
 - (4) A-II, B-I, C-IV, D-III
- 75 A compound with a molecular formula of C₆H₁₄ has two tertiary carbons. Its IUPAC name is:
 - (1) n-hexane
 - (2) 2-methylpentane
 - (3) 2,3-dimethylbutane
 - (4) 2,2-dimethylbutane
- On heating, some solid substances change from solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known
 - (1) Crystallization
 - (2) Sublimation
 - (3) Distillation
 - (4) Chromatography
- 77 The most stable carbocation among the following is:

(2)
$$CH_3$$
 CH_3
 CH_2
 CH_3
 CH_3
 CH_3
 CH_3



78 Given below are two statements:

Statement I: Aniline does not undergo Fried Crafts alkylation reaction.

Statement II: Aniline cannot be prepared through Gabriel synthesis.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are fals
- (3) Statement I is correct but Statement II false.
- (4) Statement I is incorrect but Statement II true.
- 79 Which reaction is NOT a redox reaction?
 - (1) $Zn + CuSO_4 \rightarrow ZnSO_4 + Cu$
 - (2) $2 \text{ KClO}_3 + I_2 \rightarrow 2 \text{ KlO}_3 + \text{Cl}_2$
 - (3) $H_2 + Cl_2 \rightarrow 2 HCl$
 - (4) BaCl₂ + Na₂SO₄ \rightarrow BaSO₄ + 2 NaCl
- 80 Match List I with List II.

	List I (Compound)			List II			
				(Shape/geometry)			
	A.	NH ₃		I.	Trigonal Pyramidal		
	B.	BrF ₅		II.	Square Planar		
	C.	XeF ₄	•	III.	Octahedral		
	D.	SF ₆		IV.	Square Pyramidal		
	-	11	erant ar		from the ontions give		

Choose the correct answer from the options give below:

- (1) A-I, B-IV, C-II, D-III
- (2) A-II, B-IV, C-III, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-II, B-III, C-IV, D-I
- Arrange the following elements in increasin order of first ionization enthalpy:
 - Li, Be, B, C, N

Choose the correct answer from the options give below:

- (1) Li < Be < B < C < N
- (2) Li < B < Be < C < N
- (3) Li < Be < C < B < N
- (4) Li < Be < N < B < C

[Contd.

- 'Spin only' magnetic moment is same for which 82 of the following ions?
 - Ti3+
- Cr2+
- C. Mn2+
- Fe²⁺
- Sc3+

Choose the most appropriate answer from the options given below:

- (1) B and D only
- (2) A and E only
- (3) B and C only
- (4) A and D only
- The E° value for the Mn3+/Mn2+ couple is more 83 positive than that of Cr3+/Cr2+ or Fe3+/Fe2+ due to change of
 - (1) d⁵ to d⁴ configuration
 - (2) d⁵ to d² configuration
 - (3) d⁴ to d⁵ configuration
 - (4) d³ to d⁵ configuration
- 84 The highest number of helium atoms is in
 - (1) 4 mol of helium
 - (2) 4 u of helium
 - (3) 4 g of helium
 - (4) 2.271098 L of helium at S
- Given below are two states 85

Statement I: Both $\left[\text{CoF}_{6} \right]^{3-}$ and $\left[\text{CoF}_{6} \right]^{3-}$

complexes are octahedral but differ in their magnetic behaviour.

Statement II : $\left[\text{Co(NH}_3)_6 \right]^{3+}$ is diamagnetic

whereas $\left[\text{CoF}_{6} \right]^{3-}$ is paramagnetic.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true.
- (2) Both Statement I and Statement II are false.
- (3) Statement I is true but Statement II is false.
- Statement I is false but Statement II is true.

Chemistry : Section-B (Q. No. 86 to 100)

- The pair of lanthanoid ions which are diamagnetic
 - (1) Ce^{4+} and Yb^{2+}
 - (2) Ce^{3+} and Eu^{2+}
 - Gd³⁺ and Eu³⁺
 - Pm3+ and Sm3+
- Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.
 - A13+
- Ba²⁺ C.
- D. Co²⁺
- Mg2+

Choose the correct answer from the options given below:

- (1) B, A, D, C, E
- (2) B, C, A, D, E
- (3) E, C, D, B, A
- (4) E, A, B, C, D
- Major products A and B formed in the following reaction sequence, are

$$H_3C$$
 \xrightarrow{OH}
 $\xrightarrow{PBr_3}$
 A
 $\xrightarrow{alc. KOH}$
 A
 \xrightarrow{B}
 $(major)$

(1)
$$A = \begin{bmatrix} Br \\ H_3C \\ B = \end{bmatrix}$$
 ; $B = \begin{bmatrix} H_3C \\ B = \end{bmatrix}$

(2)
$$A=$$

$$H_3C$$

$$B=$$

$$H_3C$$

(3)
$$A=$$

OH


Br

 H_3C
 $B=$

OH

$$(4) \quad A = (4) \quad A = (4)$$

Q4_English]



The work done during reversible isothermal 89 expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere is:

(Given R = 2.0 cal K_{1}^{-1} mol-1) PV =(1) 0 calorie W = PV

- (2) 413.14 calories
- (3) 413.14 calories
- (4) 100 calories (7)
- Identify the major product C formed in the 90 following reaction sequence:

$$CH_3 - CH_2 - CH_2 - I \xrightarrow{NaCN} A$$

 $\begin{array}{c}
OH^{-} \\
Partial hydrolysis
\end{array}$ B $\begin{array}{c}
NaOH \\
Br_{2}
\end{array}$

- (1) propylamine (
- (2) butylamine
- butanamide
- α bromobutanoic acid
- 91 The products A and B obtained in the following reactions, respectively,

10

 $3ROH + PCI_3 \rightarrow 3ROH + A$

ROH + $PCI_5 \rightarrow ROI + HCI + B$

- (1) POCl₃ and H₃PO₃
- (2) POCl₃ and H₃PO₄
- (3) H₃PO₄ and POCl₃
- (4) H₃PO₃ and POCl₃
- 92 Mass in grams of copper deposited by passing 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is:

(Given: Molar mass of Cu: 63 g mol-1, $1F = 96487 \, \text{C}$

- (1) 3.15 g
- 00(2) 0.315 g
- (3) 31.5 g
- (4) 0.0315 g

Q4_English]

- A compound X contains 32% of A, 20% of B 93 remaining percentage of C. Then, the empirical (Given atomic masses of A = 64; B = 40; C = 32
- (2) ABC₃
- (3) AB_2C_2 \bigcirc
- (4) ABC₄
- During the preparation of Mohr's salt solution 94 (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis
 - (1) dilute hydrochloric acid
 - (2) concentrated sulphuric acid
 - (3) dilute nitric acid
 - (4) dilute sulphuric acid
- 1 95 Identify the correct answer.
 - (1) Three resonance structures can be drawn for ozone.
 - (2) BF₃ has non-zero dipole moment.
 - (3) Dipole moment of NF₃ is greater than the of NH₃. (7)
 - (4) Three canonical forms can be drawn for CO₃²⁻ ion!
- The rate of a reaction quadruples whe temperature changes from 27°C to 57°C 96 Calculate the energy of activation.

Given $R = 8.314 \text{ J K}^{-1} \text{ mol}^{-1}$, $\log 4 = 0.6021$

- (1) 38.04 kJ/mol
- (2) 380.4 kJ/mol
- (3) 3.80 kJ/mbl
- (4) 3804 kJ/mol
- For the given reaction: 97

$$\begin{array}{c|c}
C = CH & KMnO_4/H^+ & P' \\
\hline
 & product
\end{array}$$
(major product)

'P' is

[Contd.

98 The plot of osmotic pressure (Π) vs concentration (mol L-1) for a solution gives a straight line with slope 25.73 L bar mol-1. The temperature at which the osmotic pressure measurement is done is:

(Use $R = 0.083 L bar mol^{-1} K^{-1}$)

- (1) 37°C
- (2) 310°C.
- (3) 25.73°C
- (4) 12.05°C
- 99 Given below are two statements:

Statement I: $\left[\text{Co}(\text{NH}_3)_6 \right]^{3+}$ is a homoleptic complex whereas $\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{4}\operatorname{Cl}_{2}\right]^{+}$ is a heteroleptic complex.

Statement II: Complex $\left[\text{Co(NH}_3)_6\right]^{3+}$ has only one kind of ligands but $\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{4}\operatorname{Cl}_{2}\right]^{+}$ has more than one kind of ligands.

In the light of the above statements, choose the correct answer from the options given below:

- Both Statement I and Statement II are true.
- (2) Both Statement I and Statement II are false.
- (3) Statement I is true but Statement II is false.
- (4) Statement I is false but Statement II is true.
- Consider the following reaction in a sealed vessel 100 at equilibrium with concentrations of

$$N_2 = 3.0 \times 10^{-3} \text{ M}, O_2 = 4.2 \times 10^{-3} \text{ M} \text{ and}$$

 $NO = 2.8 \times 10^{-3} \text{ M}.$

$$2NO_{(g)} \rightleftharpoons N_{2(g)} + O_{2(g)}$$

If 0.1 mol L-1 of NO(g) is taken in a closed vessel, what will be degree of dissociation (a) of NO(g) at equilibrium?


- (1) 0.00889
- (2) 0.0889
- (3) 0.8889
- (4) 0.717

Q4_English |

Botany: Section-A (Q. No. 101 to 135)

- Auxin is used by gardeners to prepare weed-free lawns. But no lawns again lawns. But no damage is caused to grass as auxin (1) promotes apical dominance.

 - promotes abscission of mature leaves only. does not affect mature monocotyledonous
 - can help in cell division in grasses, to produce growth.
- How many molecules of ATP and NADPH are required for every molecule of CO₂ fixed in the Calvin cycle?
 - (1) 2 molecules of ATP and 3 molecules of NADPH
 - (2) 2 molecules of ATP and 2 molecules of NADPH
 - (3) 3 molecules of ATP and 3 molecules of
 - 3 molecules of ATP and 2 molecules of
- In the given figure, which component has thin 103 outer walls and highly thickened inner walls?



- (H) C
- (2) D B (4)
- Match List I with List II

List I A. Nucleolus

- List II Site of formation of glycolipid
- B. Centriole
- II. Organization like the cartwheel
- C. Leucoplasts
- Site for active ribosomal RNA synthesis
- IV. For storing D. Golgi nutrients

Choose the correct answer from the options given

- A-111, B-11, C-1V, D-1 (2) A-II, B-III, C-I, D-IV
- (3) A-III, B-IV, C-II, D-I
- (4) A-I, B-II, C-III, D-IV

105 Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b) (1) (a) Epigynous; (b) Hypogynous (2) (a) Hypogynous; (b) Epigynous (3) (a) Perigynous; (b) Epigynous (4) (a) Perigynous; (b) Perigynous 106 Match List I with List II List I List II A. Rhizopus Mushroom B. Ustilago II. Smut fungus C. Puccinia III. Bread mould D. Agaricus IV. Rust fungus Choose the correct answer from the options given (1) A-III, B-II, C-IV, D-I. (2) A-I, B-III, C-II, D-IV. (3) A-III, B-II, C-I, D-IV (4) A-IV, B-III, C-II, D-I 107 Which of the following is an example of actinomorphic flower? (1) Datura (2) (Cassia (3) Pisum (4) Sesbania Identify the set of correct statements: The flowers of Vallisneria are colourful and produce nectar. B. The flowers of waterlily are not pollinated by water. In most of water-pollinated species, the pollen grains are protected from wetting. Pollen grains of some hydrophytes are long and ribbon like. In some hydrophytes, the pollen grains are carried passively inside water. Choose the correct answer from the options given below: (1) C, D and E only (2) A, B, C and D only (3.) A, C, D and E only (4) B, C, D and E only

Q4_English |

9.	109	Α	p	ink flowered Snapdra a red flowered Snapo henotype/s is/are exp	igon	plant was
		W	/Itl	henotype/s is/are exp Only red flowered p	irago	plant w
		0	ıр	nenotype/s is/are exp	ected	in the promat type
		()	1)	Only red flowered p	lants	hogeny
		(2	2)	Red flowered as well	as pir	ik flower.
		(3	3)	Only red flowered p Red flowered as well Only pink flowered	plants	or cred plants
		(4	4)	Red, Pink as well as	white	flowers (m)
				Only pink flowered Red, Pink as well as		ricled plants
	110	F	orı	nation of interfascicul	lar ca	mbium from 6
					ells is	an example
				Redifferentiation ·		00
			50	Dedifferentiation		0
		(4	4)	Maturation		
	111	N	lat.	ch List I with List II		(1)
	***	14		ist I		1 <u>(1</u>)
		Δ		wo or more	I.	List II
		Λ.		ternative	1.	Back cross
				orms of a gene		631
		В.		ross of F ₁	II.	DI .: 4 (0)
		В.		rogeny with	11.	Ploidy 60
1			-	omozygous		
		N	N	cessive parent		
	٠. (C.		ross of F ₁	III.	Allele (1)
				ogeny with		
	9.			ny of the parents		N
		D.	N	umber of	IV.	Test cross
				romosome	1 V.	मार्थ कर्म
f				ets in plant		00.
		C		ose the correct answer	from t	he options given
		be	elo	w:		
		(1	1)	A-I, B-II, C-III, D-IV		
		(2	2)	A-II, B-I, C-III, D-IV	21	
ł		53	4	A-III, B-IV, C-I, D-II		(1)
88		(4	1)	A-IV, B-III, C-II, D-I		LO
i	112	u	/hi	ch of the following are		and for the dark
		re	act	tion of photosynthesis	requ	lien ie. (A
e		Α		Light	6	4.
3		В		Chlorophyll		00
9		C		CO ₂		W
3		D		ATP		
		E.	•2	NADPH		given
1		C	hoo	NADPH ose the correct answer f w:	rom t	he options A
		(1)	A, B and C only		
		(2	()	B, C and D only		C
		(3)	C, D and E only		4
	I	9	1	D and E only		00 (Oda
1	6					[Contd
	500					•

19		a.						
113		ow are two statements:	± .	116	The	lactose present i	in the growth	medium of
	visible une stage.	t I: Chromosomes bed der light microscope d	come gradually uring leptotene	/	(I)	Beta-galactosida:	to the cell by the se	ie action o
	recognize	t II: The begining of died by dissolution of	synaptonemal		(3)	Acetylase Permease Polymerase	2753	
	correct an	swer from the options g	given below:	-	82	il do a	\$ 50 50	
		Statement I and Statem	CALL	117	Give	n below are two	statements:	
		Statement I and Statem ment I is true but State		8	Stat	ement I: Par enchyma is dead t	renchyma is	living but
		ment I is false but State	Evel .		Stat	ement II: Gymno oresence of xylem ngiosperms.	osperms lack x	ylem vessels haracteristic
114	chromoso	fibers attach to kir mes during	(Q)		In th	ne light of the ab-	ove statements	, choose the
	(1) Propl		· ACCUSANCE		corr	ect answer from t		
	(3) Anap	ohase (4) Telop	ohase .		(1)	Both Statement Both Statement	100000	
115	What is th gene of intorganism?	e fate of a piece of DN. erest which is transfer	A carrying only ed into an alien	j	(2)(3)(4)	Statement I is tr Statement I is fa	ue but Stateme	nt II is false
	itself the or	piece of DNA would be independently in the p rganism.	orogeny cells of	118		ich one of the fol sification of fung	lowing is not a	
ě	B. It may	y get integrated into the	e genome of the		(1)	Morphology of	mycelium	
	C. It ma	y multiply and be inherent ost DNA.	Event		(2)	Mode of nutrition	on 🖺	
	D. The a	alien piece of DNA is of chromosome.	not an integral		(3) (4)	Fruiting body	00	
	E. It sho	ows ability to replicate.	Ö				· · · · · ·	
	Choose the	e correct answer from the	ne options given	119		plant, black seed white seed colo genotype of the l	or (ob). In ord	er to find out
	(1) A an	d B only	(T)		the	genotype of the help following gen	otype will you	cross it?
	(2) D an	d E only				-0	(2) bb.	7.7.4
	(3) B an	d C only	CI		(1)		(4) DB/P	
		nd E only	8		(3)	ВЬ	(4) BB/Bb	
04	E-glish		S.O.	17		i .		[Contd

Q4_English]

- 120 Tropical regions show greatest level of species richness because
 - A. Tropical latitudes have remained relatively undisturbed for millions of years, hence more time was available for species diversification.
 - B. Propical environments are more seasonal.
 - C. More solar energy is available in tropics.
 - D. Constant environments promote niche specialization.
 - Tropical environments are constant and predictable.

Choose the correct answer from the options given below:

- A, C, D and E only
- (2) A and B only
- (3) A, B and E only
- (4) A, B and D only
- 121 These are regarded as major causes of biodiversity loss:
 - A. Over exploitation
 - B. Co-extinction &
 - C. Mutation Y
 - D. Habitat loss and tragmentation
 - E. Migration

Choose the correct option:

- (1) A, C and Donly
- (2) A, B, C and D only
- (3) A, B and E only
- (4) A, B and D only
- 122 A transcription unit in DNA is defined primarily by the three regions in DNA and these are with respect to upstream and down stream end;
 - (1) Repressor, Operator gene, Structural gene
 - (2) Structural gene, Transposons, Operator gene
 - (3) Inducer, Repressor, Structural gene
 - (4) Promotor, Structural gene, Terminator
- Q4_English |

- Hind II always cuts DNA molecules at a particular point called recognition sequence and it consists of:
 - (1) 8 bp
- (2) 6 bp
- (3) 4 bp
- (4) 10 bp
- 124 The cofactor of the enzyme carboxypeptidase is:
 - (1) Zinc
- (2) Niacin
- (3) Flavin
- (4) Haem
- 125 Match List I with List II

List I

List II

- A. Clostridium
- I. Ethanol

butylicum

- B. Saccharomyces cerevisiae
- II. Streptokinase
- C. Trichoderma
- III. Butyric acid

polysporum

- D. Streptococcus sp.
- IV. Cyclosporin-A

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-II, D-IV
- (2) A-II, B-IV, C-III, D-I
- (3) A-III, B-I, C-IV, D-II
- (4) A-IV, B-I, C-III, D-II
- 126 List of endangered species was released by-
 - (U) GEAC
- (2) WWF
- (3) FOAM
- (4) IUCN
- 127 The type of conservation in which the threatened species are taken out from their natural habitat and placed in special setting where they can be protected and given special care is called;
 - (1) In-situ conservation
 - (2) Biodiversity conservation
 - (3) Semi-conservative method
 - (4) Sustainable development

The capacity to generate a whole plant from any 128 cell of the plant is called:

(H) Totipotency

(2) Micropropagation

(3) Differentiation

(4) Somatic hybridization

The equation of Verhulst-Pearl logistic growth is 129 $\frac{dN}{dt} = rN \left[\frac{K - N}{K} \right].$

From this equation, Kindicates:

- (1) Intrinsic rate of natural increase
- Biotic potential
- (3) Carrying capacity
- (4) Population density
- 130 Bulliform cells are responsible for
 - Inward curling of leaves in monocots.
 - Protecting the plant from salt stress.
 - (3) Increased photosynthesis in monocots.
 - (4) Providing large spaces for storage of sugars.
- Lecithin, a small molecular weight organic 131 compound found in living tissues, is an example of:
 - Amino acids (1)
 - Phospholipids \ (2)
 - (3) Glycerides
 - Carbohydrates \$
- Inhibition of Succinic dehydrogenase enzyme by 132 malonate is a classical example of:
 - (1) Cofactor inhibition
 - (2) Feedback inhibition
 - Competitive inhibition
 - (4) Enzyme activation

Given below are two statements: Statement I: Bt toxins are insect group specific and coded by Agene cry IAc. statement II i Bt toxin exists as inactive protoxin in II i Bt toxin exists as inactive ingestion by thuringiensis. However, after ingestion by the statement of the statement o ingestion by the insect the inactive protoxin gets the insect the inactive protection of the insect gut. In the light of the above statements, choose the correct answer from the options given below:

(1) Both Statement I and Statement II are true

- Both Statement I and Statement II are false
- (3) Statement I is true but Statement II is false
- (4) Statement I is false but Statement II is true
- Identify the part of the seed from the given figure which is destined to form root when the seed germinates. (2)



- (2) B (1) A O (4) D (3)
- Which one of the following can be explained on the basis of Mendel's Law of Dominance?

Out of one pair of factors one is dominant and the other is recessive.

Alleles do not show any expression and both the characters appear as such in F₂ generation

Factors occur in pairs in normal diploid C. plants. (O

The discrete unit controlling a particular __ D. character is called factor.

The expression of only one of the parental characters is found in a monohybrid cross. Choose the correct answer from the options given below:

(1) A, B and Conly (2) A, C, D and E only

(3) B, C and D only

(4) A, B, C, D and E

Botany: Section-B (Q. No. 136 to 150)

136 Match List I with List II

List I

- A. Citric acid cycle
- I. Cytoplasm
- B. Glycolysis
- II. Mitochondrial matrix
- C. Electron transport system
- III. Intermembrane space of mitochondria
- D. Proton gradient
- IV. Inner mitochondrial membrane

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, <u>D-IV</u>
- (2) A-II, B-I, C-IV, D-III
- (3) A-III, B-IV, C-I, D-II
- (4) A-IV, B-III, C-II, D-I
- 137 Match List I with List II

List I

- List II
- A. Robert May
- I. Species-Area relationship
- B. Alexander von Humboldt
- II. Long term
 ecosystem
 experiment using
 out door plots
- C. Paul Ehrlich
- III. Global species diversity at about 7 million
- D. David Tilman
- IV. Rivet popper rypothesis

Choose the correct answer from the options given below:

- (1) A-II, B-III, O. D-IV
- (2) A-III, B-I, C-IV, D-II
- (3) A-I, B-III, C-II, D-IV
- (4) A-III, B-IV, C-II, D-I
- In an ecosystem if the Net Primary Productivity (NPP) of first trophic level is 100 m 10

 $100x (kcal m^{-2}) yr^{-1}$, what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

- (1) $\frac{x}{10} (kcal \ m^{-2}) \ yr^{-1}$
- (2) $x (kcal \ m^{-2}) \ yr^{-1}$
- (3) $10x (kcal m^{-2}) yr^{-1}$
- (4) $\frac{100x}{3x} (kcal \ m^{-2}) \ yr^{-1}$
- Q4_English 1

139 Read the following statements and choose the set of correct statements:

In the members of Phaeophyceae,

- A. Asexual reproduction occurs usually by biflagellate zoospores.
- Sexual reproduction is by oogamous method only.
- C. Stored food is in the form of carbohydrates which is either mannitol or laminarin.
- D. The major pigments found are chlorophyll a, c and carotenoids and xanthophyll.
- E. Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin.

Choose the correct answer from the options given below:

- (1) A, B, C and D only
- (2) B, C, D and E only
- (3) A, C, D and E only
- (4) A, B, C and E only
- Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?
 - (1) Auxin
 - (2) Gibberellin
 - (3) Cytokinin
 - (4) Abscisic acid
- 141 Match List I with List II

List I

List II

(Types of Stamens)

(Example)

- A. Monoadelphous
- I. Citrus
- B. Diadelphous
- II. Pea
- C. Polyadelphous
- III. Lily
- D. Epiphyllous
- IV. China-rose

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-I, D-III
- (2) A-IV, B-I, C-II, D-III
- (3) A-I, B-II, C-IV, D-III
- (4) A-III, B-I, C-IV, D-II

Contd...

- Which of the following statement is correct regarding the process of replication in *E.coli?*The DNA dependent DNA polymerase catalyses polymerization in one direction that is 3'→5'.
 - (2) The DNA dependent RNA polymerase catalyses polymerization in one direction, that is 5'→3'.
 - (3) The DNA dependent DNA polymerase catalyses polymerization in 5'→3' as well as 3'→5' direction.
 - (4) The DNA dependent DNA polymerase catalyses polymerization in 5'→3' direction.
- 143 Identify the step in tricarboxylic acid cycle, which does not involve oxidation of substrate.
 - (1) Malic acid → Oxaloacetic acid
 - (2) Succinic acid → Malic acid
 - (3) Succinyl-CoA → Succinic acid
 - (4) Isocitrate $\rightarrow \alpha$ -ketoglutaric acid

144 Match List I with List II

List I

List H

- A. Frederick
- I. Generic code

Griffith

B. Francois Jacob

KMI Semi-conservative

& Jacque

mode of DNA replication

Monod

Appellation of the second section of the second section of

C. Har Gobind

III. Transformation

Khorana

D. Meselson &

IV. Lac operon

Stahl

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-III, B-IV, C-I, D-II
- (3) A-II, B-III, C-IV, D-I
- (4) A-IV, B-I, C-II, D-III

Q4_English]

Identify the correct description about the given



- (1) Wind pollinated plant inflorescence showing flowers with well exposed stamens.
- (2) Water pollinated flowers showing stamens with mucilaginous covering.
- (3) Cleistogamous flowers showing autogamy.
- (4) Compact inflorescence showing complete autogamy.
- 146 The DNA present in chloroplast is:
 - (1) Linear, double stranded
 - (2) Circular, double stranded
 - (3) Linear, single stranded
 - (4) Circular, single stranded
- 147 Given below are two statements:

Statement I: In C₃ plants, some O₂ binds to RuBisCO, hence CO₂ fixation is decreased.

Statement II: In C₄ plants, mesophyll cells show very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are false
- (3) Statement I is true but Statement II is false
- (4) Statement I is false but Statement II is true

148 Match List I with List II

List I

List II

- **GLUT-4**
- IC) I. Hormone
- Insulin
- II. Enzyme
- Trypsin
- III. Intercellular
- 0 ground substance IV. Enables glucose D. Collagen
 - transport into cells

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-I, B-II, C-III, D-IV
- (3) A-II, B-III, C-IV, D-I
- (4) A-III, B-IV, C-I, D-II
- Match List I with List II

List I

- Rose
- IN Twisted aestivation
- B. Pea
- Perigynous flower
- C. Cotton
- III. Drupe
- Mango
- IV. Marginal placentation

Choose the correct of swer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-I, B-II, C-III, D-IV
- (3) A-IV, B-III, C-II, D-I
- (4) A-II, B-III, C-IV, D-I
- Which of the following are fused in somatic 150 hybridization involving two varieties of plants?
 - (1) Callus
- M
- (2) Somatic embryos
- (3) Protoplasts
- 00
- (4) Pollens

Q4_English]

Zoology: Section-A (Q. No. 151 to 185) 151 Match List I with List II:

List I

List II

- A. Pleurobrachia
- Mollusca
- Radula
- Ctenophora
- Stomochord
- Osteichthyes
- D. Air bladder
- IV. Hemichordata

Choose the correct answer from the options given

- (1) A-IV, B-II, C-III, D-I
- (2) A-II, B-I, C-IV, D-III
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-III, C-II, D-I
- 152 Following are the stages of cell division:
 - A. Gap 2 phase
 - Cytokinesis
 - Synthesis phase
 - Karyokinesis D.
 - Gap 1 phase E.

Choose the correct sequence of stages from the options given below:

- (1) C-E-D-A-B
- (2) E-B-D-A-C
- (3) B-D-E-A-C
- (4) E-C-A-D-B

Match List I with List II: 153

List I

List II

- Common cold
- Plasmodium I.
- Haemozoin B.
- Typhoid II.
- Widal test C.
- Rhinoviruses III.
- **Dust mites** IV.
- D. Allergy

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-III, D-I
- (2) A-I, B-III, C-II, D-IV
- (3) A-III, B-I, C-II, D-IV
- (4) A-IV, B-II, C-III, D-I

[Contd...

22

Match List I with List II: List I

A. Typhoid

List II

- B. Leishmaniasis
- I. **Fungus**
- C. Ringworm
- II. Nematode
- III. Protozoa

D. Filariasis

IV. Bacteria

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-II, D-IV
- (2) A-IV, B-III, C-I, D-II
 - (3) A-III, B-I, C-IV, D-II
 - (4) A-II, B-IV, C-III, D-I

The flippers of the Penguins and Dolphins are 155 the example of the

- (1) Adaptive radiation
- (2) Natural selection
- (3) Convergent evolution
- (4) Divergent evolution

156 Following are the stages of pathway for conduction of an action potential through the heart:

- A. AV bundle
- Purkinje fibres B.
- C. AV node
- Bundle branches D.
- E. SA node

Choose the correct sequence of pathway from the options given below:

- (1) E-C-A-D-B
- (2) A-E-C-B-D
- (3) B-D-E-C-A
- (4) E-A-D-B-C

Which of the following statements is incorrect?

- (1) A bio-reactor provides optimal growth conditions for achieving the desired product,
- Most commonly used bio-reactors are of stirring type.
- Bio reactors are used to produce small scale bacterial cultures.
- (4) Bio-reactors have an agitator system, an oxygen delivery system and foam control system.

Which of the following is not a component of

- (1) Uterine fundus
- Isthmus
- Infundibulum (3)
- Ampulla

Given below are two statements:

Statement I: In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

Statement II: The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for reabsorption.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are false
- Statement I is true but Statement II is false
- (4) Statement I is false but Statement II is true

Which one of the following factors will not affect 160 the Hardy-Weinberg equilibrium?

- (1) Genetic recombination
- (2) Genetic drift
- (3) Gene migration
- Constant gene pool (4)

Which of the following is not a steroid hormone?

- (1) Cortisol
- (2) Testosterone
- (3) Progesterone
- (4) Glucagon

Match List I with List II:

List I

List II Multiload 375

- A. Non-medicated IUD B. Copper releasing IUD
- Progestogens
- C. Hormone releasing IUD D. Implants
- III. Lippes loop IV. LNG-20

I.

Choose the correct answer from the options given

- (1) A-III, B-I, C-II, D-IV
- (2) A-I, B-III, C-IV, D-IL
- (3) A-IV, B-I, C-II, D-III
- (4) A-III, B-I, C-IV, D-II

Q4_English]

23

Contd...

In both sexes of cockroach, a pair of jointed filamentous structures called filamentous structures called anal cerci are present 5th segment (1) (2) 10th segment (3) 8th and 9th segment (4) 11th segment 164/ Match List I with List II List I List II A. Expiratory Expiratory reserve capacity volume + Tidal volume + Inspiratory reserve volume Functional [] II. Tidal volume + residual Expiratory reserve O capacity volume C. Vital capacity III. Tidal volume+ Û Inspiratory reserve 10 volume D. Inspiratory IV. Expiratory reserve capacity volume + Residual volume Choose the correct answer from the options given (1) A-II, B-IV, C-I, D-III (2) A-III, B-II, C-IV, D-I (3) A-II, B-I, C-IV, D-III (4) A-I, B-III, C-II, B-IV 165 Match List I with List II: List I List II A. Pons Provides additional space for Neurons. regulates posture and balance. B. Hypothalamus (Controls II. respiration and gastric secretions. a C. Medulla Connects different III. regions of the brain. D. Cerebellum IV. Neuro secretory cells Choose the correct answer from the options given below: (1) A-II, B-III, Cel, D-IV (2) A-III, B-IV, C-II, D-I (3) A-I, B-III, C-II, D-IV (4) A-II, B-I, C-III, D-IV


1

Q4_English]

- Given below are two statements: 166
 - Statement I: The presence or absence of hymen is not a reliable indicator of virginity.
 - Statement II: The hymen is tom during the firm

In the light of the above statements, charge the correct answer from the options given below

- Both Statement I and Statement II are true
- Both Statement I and Statement II are false
- Statement I is true but Statement II is false
- Statement I is false but Statement I is false
- The following diagram showing restriction sites 167 in E.coli cloning vector pBR322. Find the role of 'X' and 'Y' genes:



- The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of Plasmid.
- The gene 'X' is responsible for controlling the copy number of the linked DNA and 1 for protein involved in the replication Plasmid.
- (3) The gene 'X' is for protein involved it replication of Plasmid and 'Y' for resistant to antibiotics.
- (4) Gene is responsible for recognition site. and 'W is responsible for anibiolic resistant resistance Contd

- Which one is the correct product of DNA dependent RNA polymerase to the given template?
 - 3'TACATGGCAAATATCÇATTCA5'
 - (1) 5'AUGUACCGUUUAUAGGUAAGU3'
 - (2) 5'AUGUAAAGUUUAUAGGUAAGU3'
 - (3) 5'AUGUACCGUUUAUAGGGAAGU3'
 - (4) 5'ATGTACCGTTTATAGGTAAGT3'
- Which of the following are Autoimmune disorders?
 - Myasthenia gravis
 - Rheumatoid arthritis
 - Gout
 - D. Muscular dystrophy
 - Systemic Lupus Erythematosus (SLE)

Choose the most appropriate answer from the options given below:

10

1

di

- (1) A, B & D only
- (2) A, B & E only
- (3) B, C & E only
- (4) C, D & E only

Match List I with List II 170

List I

- A. Pterophyllum
- Hag fish
- B. Myxine
- II. Saw fish
- Pristis
- III. Angel fish
- D. Exocoetus
- IV. Flying fish

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-III, D-I
- (2) A-III, B-I, C-II, D-IV
- (3) A-IV, B-I, C-II, D-I
- (4) A-III, B-II, C-I, D-IV
- Q4_English]

Given below are two statements: one is labelled 171 as Assertion A and the other is labelled as

Assertion A: FSH acts upon ovarian follicles in female and Leydig cells in male.

Reason R: Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true and R is the correct explanation of A
- (2) Both A and R are true but R is NOT the correct explanation of A.
- (3) A is true but R is false
- A is false but R is true
- 172 Match List I with List II:

List I

- A. Lipase
- I. In Peptide bond
- B. Nuclease
- II. Ester bond
- C. Protease
- III. Glycosidic bond
- IV. Phosphodiester bond D. Amylase

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-III, B-II, C-I, D-IV
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-I, C-III, D-II
- Match List I with List II: 173 00

List I

List II

- (P Centriole
- A. Axoneme B. Cartwheel
- II. Cilia and flagella
- pattern
- Chromosome
- C. Crista
- INV. Mitochondria
- D. Satellite
 - Choose the correct answer from the options given

(1) A-IV, B-III, C-II, D-I

- (2) A-IV, B-II, C-III, D-I
- (3) A-II, B-IV, C-I, D-III (4) A-II, B-I, C-IV, D-III

174 Match List I with List II:

List I (Sub Phases of

List II

Prophase I)

(Specific characters)

- A. Diakinesis
- Synaptonemal complex formation
- B. Pachytene
- II. Completion of terminalisation of
- C. Zygotene
- chiasmata III. Chromosomes look like thin
- D. Leptotene
- threads IV. Appearance of recombination nodules

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-I, B-II, C-IV, D-III
- (3) A-II, B-IV, C-I, D-III
- A-IV, B-III, C-II, D-I

Consider the following statements:

- Annelids are true coelomates
- B. Poriferans are pseudocoelomates
- Aschelminthes are acoelomates C.
- Platyhelminthes are pseudocolomates Choose the correct answer from the options given below:
- (1) B only

A only

(3) Conly

D only

176 Match List I with List II

List I

List II

- A. α-l antitrypsin
- Cotton bollworm
- B. Cry IAb
- ADA deficiency II.
- C. Cry IAc
- Emphysema III.
- D. Enzyme
- Corn borer IV.
- replacement
 - therapy

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-III, B-I, C-II, D-IV
- (3) A-III, B-IV, C-I, D-II
- (4) A-II, B-IV, C-I, D-III

Q4_English]


Match List I with List II:

List I

- A. Fibrous joints
- List II
- I. Adjacent
 - vertebrae, limited movement
- B. Cartilaginous joints
- Humerus and II. Pectoral girdle, rotational
- C. Hinge joints
- movement III. Skull, don't allow any movement
- D. Ball and socket joints
- IV. Knee, help in locomotion

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-III, D-I
- (2) A-I, B-III, C-II, D-IV
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-I, C-IV, D-II
- Three types of muscles are given as a, b and c. 178 Identify the correct matching pair along with their location in human body:



Name of muscle/location

- (1) (a) Smooth Toes
 - (b) Skeletal Legs
 - (c) Cardiac Heart.
- (2) (a) Skeletal Triceps
 - (b) Smooth Stomach
 - (c) Cardiac Heart.
- (3) (a) Skeletal Biceps
 - (b) Involuntary Intestine
 - (c) Smooth Heart.
- (4) (a) Involuntary Nose tip
 - (b) Skeletal Bone
 - (c) Cardiac Heart.

179	Match List I with List II
	List I
	A. Down's syndrome
	B. α-Thalassemia
	C. β-Thalassemia
	D VIII. C.

List II

11th chromosome I. 'X' chromosome

III. 21st chromosome

IV. 16th chromosome). Klinefelter's syndrome

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-II, B-III, C-IV, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-IV, B-I, C-II, D-III
- Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?

(1) High pO2 and High pCO2

- (2) High pO₂ and Lesser H⁺ concentration
- (3) Low pCO₂ and High H⁺ concentration
- (4) Low pCO₂ and High temperature
- 181 Given below are some stages of human evolution. Arrange them in correct sequence. (Past to Recent)
 - A. Homo habilis
 - B. Homo sapiens
 - C. Homo neanderthalensis
 - D. Homo erectus

Choose the correct sequence of human evolution from the options given below?

(1) D-A-C-B

(2) B-A-D-C

(3) C-B-D-A

Match List I with List II

List I

A. Cocaine

Effective sedative in surgery

B, Heroin

Cannabis sativa II.

C. Morphine

Erythroxylum III.

IV. Papaver somniferum

D. Marijuana Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-I, D-II
- (2) A-I, B-III, C-II, D-IV
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-IV, C-I, D-II

Q4_English]

Given below are two statements : one is labelled 183 as Assertion A and the other is labelled as

Assertion A: Breast feeding during initial period of infant growth is recommended by doctors for hringing a healthy baby.

Reason R: Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both A and R are correct and R is the correct explanation of A.
- (2) Both A and R are correct but R is NOT the correct explanation of A.
- A is correct but R is not correct.
- A is not correct but R is correct.

- Which of the following is not a natural/traditional contraceptive method?
 - (1) Coitus interruptus
 - (2) Periodic abstinence
 - (3) Lactational amenorrhea

(4) Vaults

The "Ti plasmid" of Agrobacterium tumefaciens . stands for

- (1) Tumour inhibiting plasmid
- (2) Tumor independent plasmid
- (3) Tumor inducing plasmid
- (4) Temperature independent plasmid

27

Zoology : Section-B (Q. No. 186 to 200)

Match List I with List II: 186

List I

17.

1

- A. Exophthalmic goiter
- List II I. Excess secretion of cortisol, moon face &
- B. Acromegaly
- hyperglycemia II. Hypo-secretion of thyroid hormone
- C. Cushing's syndrome
- and stunted growth. III. Hyper secretion of thyroid hormone & protruding eye balls.
- D. Cretinism Excessive secretion of growth hormone.

Choose the correct answer from the options given

- (1) A-I, B-III, C-II, D-IV
- (2) A-IV, B-II, C-I, D-III
 - (3) A-III, B-IV, C-II, D-I
 - (4) A-III, B-IV, C-I, D-II
- Given below are two statements:

Statement I: Mitochondria and chloroplasts are both double membrane bound organelles.

Statement II: Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement Land Statement II are incorrect.
- (3) Statement I is correct but Statement II is
- Statement II is correct
- 188 Regarding catalytic cycle of an enzyme action, select the correct sequential steps:
 - Substrate enzyme complex formation,
 - Free enzyme ready to bind with another substrate.
 - Release of products.
 - Chemical bonds of the substrate broken.
 - Substrate binding to active site.

Choose the correct answer from the options given

- (1) E, A, D, C, B
- (2) A, E, B, D, 43) B, A, C, D, E
- (4) E, D, C, B, A

English]

Match List I with List II related to the street of the str 189

- l_{ist} II A. The structures used I. Grand for storing of food.
- B. Ring of 6-8 blind tubules at junction of (1 foregut and midgut.
- C. Ring of 100-150 yellow coloured thin this. filaments at junction of midgut and hindgut.
- D. The structures used IV. Cop for grinding the food.

Choose the correct answer from the opinion given below:

- (1) <u>A-IV</u>, B-II, C-III, <u>D</u>-I
- (2) A-I, B-II, C-III, D-IV
- A-IV, <u>B-III</u>, C-II, D-I
- (4) A-III, B-II, C-IV, D-I
- 190 The following are the statements about nonchordates:
 - Pharynx is perforated by gillslifs.
 - B. Notochord is absent.
 - C. Central nervous system is dorsal.
 - D. Heart is dorsal if present.
 - E. Post anal tail is absent.

Choose the most appropriate answer from the options given below:

- (1) A & C only
- (2) A, B & D only
- (3) B, D & E only
- (4) B, C & D only

- Choose the correct statement given below regarding juxta medullary nephron.
 - (1) Juxta medullary nephrons are located in the columns of Bertini.
 - (2) Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla.
 - (3) Loop of Henle of juxta medullary nephron runs deep into medulla.
 - (4) Juxta medullary nephrons outnumber the cortical nephrons.
- Given below are two statements:

Statement I: The cerebral hemispheres are connected by nerve tract known as corpus callosum.

Statement II: The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) Statement I is incorrect but Statement II is correct.
- Match List I with List II:

List I

- A. P wave
- I. Heart muscles are electrically silent.
- B. QRS complex
- II. Depolarisation of ventricles.
- C. Twave
- III. Depolarisation of atria.
- D. T-P gap
- IV. Repolarisation of ventricles.

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-IV, D-II
- (2) A-III, B-II, C-IV, D-I
- (3) A-II, B-III, C-I, D-IV
- (4) A-IV, B-II, C-I, D-III

Q4_English]

Match List I with List II: 194

List I

List II

- A. Mesozoic Era
- Lower invertebrates
- B. Proterozoic Era
- II. Fish & Amphibia
- C. Cenozoic Era
- III. Birds & Reptiles
- D. Paleozoic Era
- IV. Mammals

Choose the correct answer from the options given helow:

- (1) A-II, B-I, C-III, D-IV
- (2) A-III, B-I, C-II, D-IV
- (3) A-I, B-II, C-IV, D-III
- (4) A-III, B-I, C-IV, D-II
- As per ABO blood grouping system, the blood group of father is B+, mother is A+ and child is O+. Their respective genotype can be

A. IBi/IAi/ii

B. IBIB/IAIA/ii C=IAIB/IIA/IBi

D. -- IAi+IBi+IAi

E. ilB/ilA/IAIB-

Choose the most appropriate answer from the options given below:

- (I) A only
- (2) Bonly
- (3) C & B only
- . (4) D & E only
- Given below are two statements: 196

Statement I: Gause's competitive exclusion principle states that two closely related species competing for different resources cannot exist indefinitely.

Statement II : According to Gause's principle, during competition, the inferior will be eliminated, This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true.
- (2) Both Statement I and Statement II are false.
- (3) Statement I is true but Statement II is false,
- (4) Statement I is false but Statement II is true.

29

Given below are two statements:

Statement I: Bone marrow is the mainly phoid organ where all blood cells including lymphocytes are produced.

Statement II : Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes.

In the light of the above statements, choose the most appropriate answer from the options given below:

- Both Statement I and Statement II are correct.
- (2) Both Statement I and Statement II are incorrect.
- (3) Statement I is correct but Statement II is incorrect. (0)
- (4) Statement I is incorrect but Statement II is correct. (17)

10

Match List I with List II :

List I

List II

- A. Unicellular glandular, Salivary glands epithelium
- B. Compound epitelium, II. **Pancreas**
- C. Multicelline III. Goblet cells of glandular epithelium alimentary canal
- D. Endocrine glandular Moist surface of epithelium buccal cavity

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-III, D-I
- (2) A-IV, B-III, C-I, D-II
- (3) A-III, B-IV, C-I, D-IIO
- (4) A-II, B-I, C-IV, D-III

Q4_English]

Match List I with List II:


List I

- A. RNA polymerase H
- $L_{i_{i_{l}}}$ I. snkyps
- B. Termination of
 - transcription
- II. $P_{r_{0}r_{0}r_{0}}$
- C. Splicing of Exon:
- III. Rho factor
- D. TATA box
- IV. SnRNAs, IRNA

Choose the correct answer from the options given

- (1) A-II, B-IV, C-1, D-III
- (2) A-III, B-II, C-IV, D-I
- (3) A-III, B-IV, C-1 D-II
- (4) A-IV, B-III, C-I, D-II

Identify the correct option (A), (B), (C), (D) with 200 respect to spermatogenesis.



- FSH, Leydig cells, Sertoli cells, spermiogenesis
 - (2) ICSH, Interstitial cells, Leydig cells. spermiogenesis.
- (3) FSH, Sertoli cells, Leydig cells, spermatogenesis.
- (4) ICSH, Leydig cells, Sertoli cells, spermatogenesis.