



PAPER ID-411141

Printed Page: 1 of 2  
Subject Code: KIT052

Roll No: 

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**B.TECH**  
**(SEM V ) THEORY EXAMINATION 2021-22**  
**COMPILER DESIGN**

*Time: 3 Hours*

*Total Marks: 100*

**Note: 1.** Attempt all Sections. If require any missing data; then choose suitably.

**SECTION A**

- 1. Attempt all questions in brief.** **2 x 10 = 20**
- a. Explain the role of parser in compiler design.
  - b. What is meant by Dead code elimination?
  - c. What is LR(k) parsing?
  - d. Write Regular Expression for specifying Identifiers and Constants of C.
  - e. List the three kinds of intermediate representation.
  - f. Differentiate constant propagation and variable propagation.
  - g. Explain inherited translation.
  - h. Write the difference between syntax and semantic analysis.
  - i. Write three address code for the expression  $a := 6*2+7$ .
  - j. Define common sub expressions?

**SECTION B**

- 2. Attempt any three of the following:** **10 x 3 = 30**
- a. Construct the SLR parse table for the following Grammar.  
 $S \rightarrow A^*Ab$   
 $S \rightarrow BbBa$   
 $A \rightarrow \epsilon$   
 $B \rightarrow \epsilon$
  - b. Differentiate between S- attribute SDT and L-attribute SDT with suitable example.
  - c. Write down techniques to recover errors from LR parser. Explain with an example
  - d. What is the pass of a compiler? Explain how the single and multi pass compiler work.
  - e. Generate three address code for the following code segment.  

```
for (i=1;i<=10;i++)  
  If (c<d) then x= y+z
```

Roll No: 

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

## SECTION C

3. Attempt any *one* part of the following: 10 x 1 = 10
- a. Draw a DAG for the expression:  
 $a+a*(b-c)+(b-c)*d.$
- b. Construct the NFA and DFA for the following regular expression.  
 $(a+b)^* abb.$
4. Attempt any *one* part of the following: 10 x 1 = 10
- a. Discuss the following terms:
- i. Loop jamming
  - ii. Loop unrolling
  - iii. Constant folding
- b. Explain the following with example: i) Quadraples ii) Triples iii) Indirect triple
5. Attempt any *one* part of the following: 10 x 1 = 10
- a. Generate three address code for the following code segment. There are four bytes per word:
- ```
sum=0;
for(j=1;j<=20;i++)
sum = sum+ a[j]+ b[j];
```
- b. How will you determine with the help of a parse tree, that the given grammar is ambiguous? Explain with example.
6. Attempt any *one* part of the following: 10 x 1 = 10
- a. What is Symbol Table? Explain in detail about its contents and data structure.
- b. Explain why Bottom up parsing is more generally applicable then Top down parsing.
7. Attempt any *one* part of the following: 10 x 1 = 10
- a. What are the various storage management techniques available for symbol table? Explain these with the help of suitable programming example.
- b. Construct the predictive parsing table for the following grammar:
- ```
S→A
A→aB / Ad
B→Bbc/f
C→g
```