

This question paper contains 8 printed pages]

our Roll No. : .....

l. No. of Q. Paper : 167 I

nique Paper Code : 42347902

ame of the Course : B.Sc.(Prog.) /B.Sc.  
Math. Sciences :  
DSE - 2A

ame of the Paper : Analysis of Algorithms  
and Data structures

emester : V

ime : 3 Hours

Maximum Marks : 75

**Instructions for Candidates :**

- (a) Write your Roll No. on the top immediately on receipt of this question paper.
- (b) Question **NO.1** is compulsory.
- (c) Attempt any **five** of question nos. **2** to **8**.
- (d) **Parts** of a question must be answered together.

(a) Consider an array of numbers {4, 6, 3, 7, 8} :  
2

- (i) Can linear search be applied to find 5 ?
- (ii) Can binary search be applied to find 8 ?

P.T.O.

- (b) Arrange the following running times in increasing order.

$O(n^2)$ ,  $O(n \log n)$ ,  $O(2^n)$ ,  $O(\log n^2)$




- (c) Consider an integer array  $A$  of dimensions  $m \times n$ , at what memory location will element  $A[i][j]$  be located, consider column major address mapping?

- (d) Consider the 0-1 knapsack problem; does a greedy strategy always give the optimal solution? If yes, prove; if no, give a counter example.

- (e) Perform selection sort on the array  $\{3, 5, 1, 8, 7\}$ , show the steps after each iteration. Report the number of comparisons.

- (f) Write a recursive algorithm to compute the product of two integers  $a$  and  $b$ .

- (g) For each of the following trees, specify whether it is a binary search tree or not. Give reasons for your answers. 6





2. (a) Write an algorithm for push operation and pop operation for a Stack implemented using linked lists.
- (b) Write an algorithm for finding an element in an array using Binary Search.

3. (a) Consider the following sequence of operations performed on an initially empty doubly linked list :

InsertBeginning(5),

InsertBeginning(8),

InsertEnd(3),

InsertEnd(10),

DeleteBeginning(),

DeleteNode(3)

Show the contents of the list, links between nodes, head and tail after each operation.

- (b) Consider a function  $f()$  to compute Fibonacci numbers as defined below :

0 if  $n=0$

Fib ( $n$ )      1 if  $n=1$

Fib( $n-1$ ) + Fib( $n-2$ )    if  $n \geq 2$

How many times will  $f()$  be called to find the value of Fib(6) ?

(a) Write a recursive algorithm to compute the sum of  $n$  natural numbers. 3

(b) Do the following transformations : 4

(i) Postfix to Infix

$A B C D E - + \$ * E F * -$

(ii) Infix to Prefix

$A \$ B * C - D + E / F / ( G + H )$

(Note : \$ is the exponent operation)


(c) Perform Merge sort on the given array of numbers {6, 5, 4, 3, 2, 1}. Show each step. 3

1. (a) For the given binary search tree, give the following : 6

(i) Pre-order traversal

(ii) In-order traversal

(iii) Post-order traversal



(b) Consider the following applications and specify which data structure may be used to implement them and why ?

- (i) Scheduling processes on the CPU.
- (ii) Converting an infix expression to postfix expression.

6. (a) Consider an initially empty circular queue of size five implemented using array. Perform the given sequence of operations and show the position of front and rear at each operation.

Enqueue(4),

Dequeue,

Enqueue(3),

Enqueue(8),

Enqueue(9),

Enqueue(6),

Enqueue(13),

Dequeue,

Enqueue(1)

(Note : Enqueue is inserting a values into queue, Dequeue is removing a value from the queue)



- (b) Sort the following array using radix sort, show the array contents after each iteration.  
{245, 12, 5673, 78, 43567, 33, 25, 46, 678}

4

- (a) Write an algorithm to search for an element and delete it if found, in a doubly linked list.

4

- (b) Give worst case and best case running times for the following algorithms :

4

(i) Linear Search

(ii) Insertion Sort

- (c) Which of the following uses divide and conquer technique for solving problems ?

2

(a) Linear search

(b) Binary Search

(c) Quick Sort

(d) Count Sort

- (a) If  $k$  integer elements are to be stored :

5

- (i) Determine the amount of memory used when these elements are stored using an array of size  $n=50$  (assume  $k \leq n$ ) and when they are stored in a singly linked list. Assume pointers require as much memory as an integer.

7

P.T.O.

- (ii) How large can the ratio of two memory requirement get ?
- (b) Write an algorithm to sort an array using count sort.

downloaded from  
StudentSuvidha.com