Roll No.

PAPER ID-10707

B. Tech. (CSE/AI/IOT/CS All Computer) EXAMINATION, 2023

(Second Semester)
MATHEMATICS-II

Time: 3 Hours

Maximum Marks: 70

Before answering the question-paper candidates should ensure that they have been supplied to correct and complete question-paper. No complaint, in this regard, will be entertained after the examination.

Note: Attempt Five questions in all. Q. No. 1 is compulsory. Attempt any four questions from Unit II.

Unit I

1. (a) A bag contains 10 white and 5 black balls. Two balls are drawn at random one after the other without replacement. Find the probability that both balls are black.

P.T.O.

- (b) Define Bayes' theorem.
- (c) Ten coins are tossed simulataneously.

 Find the probability of getting at least seven heads.
 - (d), Define binomial probability distribution.
 - (e) Calculate coefficient of rank correlation:

- (f) What is Kurtosis? How is it measured?
- What is Chi-square test of independence under what condition it is applicable?

2×7=14

Unit II

2 (a) A random variable x has the following probability distribution:

x 0 1 2 3 4 5 6 7

- (iii) What is the smallest value of x for which $P(X \le x) > 0.5$?
- (b) Between the hours of 2 pm and 4 pm the average number of phone calls per minute comming into a switch board of a company is 2.5. Find the probability that during one particular minute there will be:
 - (i) exactly 3 calls
 - (ii) at least 2 calls,
- 3. State and prove Chebyshev's inequality. v 14
- 4. (a) In a bulb factory, machine A, B and C manufacture respectively 25%, 35% and 40% of the total. Of their output 5, 4 and 2 percent are defective bolts. A bolt is drawn at random from the product and is found to be defective. What is the probability that it was manufactured by machine B?

- Explain continuous random variables and their properties.
- are given below. Fit a second degree parabola to the following data and calculate the trend, values and estimate the price of the commodity in 1987: 7

 Year: 1981 1982 1983 1984 1985 1986

 Price: 110 114 120 138 152 218
 - (b) Find the coefficient of Correlation from the following data:

X : 10 12 18 16 15 19 18 17

O-Fi Y: 30 35 45 44 42 48 47 46

6. (a) Calculate first four moments about mean for the following distribution: 7
x: 2.0 2.5 3.0 3.5 4.0 4.5 5.0

y : 5 38 65 92 70 40 10

(b) A manufacturer claims that only 4% of his products supplied by him are defective. A random sample of 600 products contained 36 defectives. Test the claim of the manufacturer.

T-10707

(a) Random samples drawn from two countries gave the following data relating to the heights of adult males: 7

Country A Country D

Mean height

(in inches) 67.42 67.25

Standard deviation 2.58 2.50

Number of Sample 1000 1200

- (i) Is the difference between the means significant?
- (ii) Is the difference between the standard deviations significant?
- (b) Verify whether Poisson distribution can be assumed from the data given below and test the goodness of fit:

No. of defects: 0 1 2 3 4 5

Frequency : 6 13 13 8 4 3

Given that χ^2 at 5% level of significance for 4 d.f. is 9.49.