

Roll No. ....

## OLE-24066

### B. Tech. 3rd Semester (Civil) Examination – April, 2021

#### FLUID MECHANICS

Paper : CE-205-F

Time : Three Hours ] [ Maximum Marks : 100

Before answering the questions, candidates should ensure that they have been supplied the correct and complete question paper. Any complaint in this regard, will be entertained after examination.

Note : Attempt five questions in total selecting one question from each Section. Question No. 1 is compulsory. All questions carry equal marks.

1. (i) Explain compressibility and capillarity.
- (ii) What is a Fluid ? How are fluids classified ?
- (iii) Explain effect of temperature on Viscosity.
- (iv) Define total pressure and centre of pressure.
- (v) List the assumptions which are made while deriving Bernoulli's equation.  $5 \cdot 4 = 20$

## SECTION – A

2. (a) A vertical cylinder of diameter 180 mm rotates concentrically inside another cylinder of diameter 181.2 mm. Both the cylinders are 300 mm high. The space between the cylinders is filled with a liquid whose viscosity is unknown. Determine the viscosity of the fluid if a torque of 20 Nm is required to rotate the inner cylinder at 1200 r.p.m.
- (b) Calculate the capillary effect in millimetres in a glass tube of 4 mm diameter, when immersed in (i) water and (ii) mercury. The temperature of the liquid is 20°C and the values of surface tension of water and mercury at 20°C in contact with air are 0.0735 N/m and 0.51 N/m respectively. The contact angle for water = 0° and for mercury  $\theta = 130^\circ$ . Take specific weight of water at 20°C as equal to 9790 N/m<sup>3</sup> 10
3. (a) The velocity potential function for a two-dimensional flow is  $\phi = x(2y-1)$ . At a point P(4, 5) determine : (i) The Velocity, and (ii) The value of stream function. 10
- (b) Explain Flow nets and methods of drawing flow nets. Also define uses of flow nets. 10

## SECTION – B

4. Explain briefly the following with neat sketches
- Piezometer.
  - U-tube manometer.
  - Differential manometers.
  - Absolute and Gauge Pressure

5. (a) A 1.0 m wide and 1.5 m deep rectangular plane surface lies in water in such a way that its plane makes an angle of  $30^\circ$  with the free water surface. Determine the total pressure and position of centre of pressure when the upper edge is 0.75 m below the free water surface. 10
- (b) A wooden block of width 1.25 m, depth 0.75 m and length 3.0 m is floating in water. Specific Weight of the wood is  $6.4 \text{ kN/m}^3$ . Find : 10
- (i) Volume of water displaced, and
- (ii) Position of centre of buoyancy.

### SECTION – C

6. (a) Water is flowing through a pipe having diameters 600 mm and 400 mm at the bottom and upper end respectively. The intensity of pressure at the bottom end is  $350 \text{ kN/m}^2$  and the pressure at the upper end is  $100 \text{ kN/m}^2$ . Determine the difference in datum head if the rate of flow through the pipe is 60 litres/sec. 10
- (b) A horizontal venturi meter with inlet diameter 200 mm and throat thickness 100 mm is used to measure the flow of water. The pressure at inlet is  $0.18 \text{ N/mm}^2$  and the vacuum pressure at the throat is 280 mm of mercury. Find the rate of flow. The value of  $C_d$  may be taken as 0.98. 10
7. (a) A smooth plate 2 m wide and 2.5 m long is towed in oil (sp. Gr. = 0.8) at a velocity of 1.5 m/s along its length. Find the thickness of boundary layer and shear stress at the trailing edge of the plate.  $V_{ii} = 10^4 \text{ m}^2/\text{s}$ . 10

- (b) In which cases the boundary layer separation takes place and also discuss the methods of Preventing the separation of boundary layer.

#### SECTION – D

8. Determine the dimensions of the following quantities : 20
- (i) Discharge
  - (ii) Kinematic viscosity
  - (iii) Force, and
  - (iv) Specific weight.
9. A 7.2 m high and 15 m long spillway discharges 94 m<sup>3</sup>/s discharge under a head of 2.03. If 1:9 Scale model of this spillway is to be constructed, determine model dimensions, head over spillway model and the model discharge. If model experiences a force of 7500N, determine force on the prototype. 20