

Roll No.

Total No. of Pages : 03

Total No. of Questions : 09

B.Tech.(EE) (2019 Batch) (Sem.-3)

**ELECTROMAGNETIC FIELDS**

Subject Code : BTEE-304-19

M.Code : 76384

Time : 3 Hrs.

Max. Marks : 60

**INSTRUCTIONS TO CANDIDATES :**

1. SECTION-A is COMPULSORY consisting of TEN questions carrying TWO marks each.
2. SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
3. SECTION-C contains THREE questions carrying TEN marks each and students have to attempt any TWO questions.

**SECTION-A**

1. Write briefly :

- a) Obtain the expression for Laplacian of a scalar field for spherical coordinate system.
- b) Discuss the significance of displacement current in the context of Maxwell's equations.
- c) If a lightning stroke with current 50 kA occurs 100 m away from your house, calculate the magnetic flux density at your house due to the lightning stroke.
- d) Show that in a good conductor, skin depth is always much shorter than its wavelength.
- e) Find  $\nabla \cdot (\mathbf{A} \times \mathbf{B})$ .
- f) Infinite line  $x = 3, z = 4$  carries  $16\text{nC/m}$  and is located in free space above the conducting plane  $z = 0$ . Use method of images to obtain the induced surface charge density on the conducting plane at  $(5, -6, 0)$ .
- g) Determine the self-inductance of a coaxial cable of inner radius 'a' and outer radius 'b' using the concept of magnetic energy.
- h) Find the magnetic field intensity at the center of a regular n-sided polygon carrying a steady current I. Assume R to be the distance from the center to any side.
- i) Find the equivalent inductance of two coils connected in parallel. Assume the fluxes to be aiding each other.
- j) Distinguish between magnetic scalar and vector potential.

## SECTION-B

2. State Triangle Law of vector addition. Apply it to verify Coulomb's law of electrostatics.
3. If  $\vec{r} = x\hat{a}_x + y\hat{a}_y + z\hat{a}_z$  is the position vector of  $(x, y, z)$ ,  $r = |\vec{r}|$  and 'n' is an integer evaluate –
  - a)  $\nabla (r^n)$
  - b)  $\nabla^2 (\ln r)$
4. Find  $D$  at P  $(6, 8, -10)$  because of –
  - a) point charge of 50 mC at origin
  - b) a uniform line charge  $\lambda = 30 \text{ C/m}$  on z-axis.
  - c) a uniform surface charge density  $\sigma = 27.2 \text{ C/m}^2$  on a plane  $x = 12$ .
5. Derive the expression  $\frac{\tan^{-1} \frac{1}{2}}{\tan^{-1} \frac{1}{2}} = \frac{D_1}{D_2}$  using appropriate diagram.
6. Find the capacitance per unit length of a coaxial transmission line.

## SECTION-C

7. A vector field is given by

$$Q = \frac{\sqrt{x^2 + y^2 + z^2}}{\sqrt{x^2 + y^2}} (x - y)\hat{a}_x + (x + y)\hat{a}_y$$

Evaluate the following integrals :

- a)  $\int_L Q \cdot dl$  where  $L$  is the circular edge of the volume in the form of an ice-cream cone shown in Figure.
- b)  $\int_{S_1} (\nabla \cdot Q) dS$  where  $S_1$  is the top surface of the volume

c)  $\int_{S_2} (\nabla \cdot Q) dS$  where  $S_2$  is the slanting surface of the volume




Fig.1

d)  $\int_{S_1} Q \cdot dS$

e)  $\int_{S_2} Q \cdot dS$

f)  $\int_V \nabla \cdot Q \, dV$

8. State and derive the integral and differential forms of Maxwell's equations for time-varying fields.

9. Write the following time-harmonic field in phasor form :

$$E = 4 \cos(\omega t - 3x - 10^\circ) \hat{a}_y - 5 \sin(\omega t + 3x + 20^\circ) \hat{a}_z$$

A non-magnetic medium has an intrinsic impedance of  $240 \angle 30^\circ$ . Find –

a) Loss tangent

b) Complex permittivity

**NOTE : Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.**