

नाम ...

152

347 (CE)

2023

रसायन विज्ञान

समय : तीन घण्टे 15 मिनट]

(पूर्णांक : 70

निर्देश :

- (i) प्रारम्भ के 15 मिनट परीक्षार्थियों को प्रश्न-पत्र पढ़ने के लिए निर्धारित हैं।
- (ii) सभी प्रश्न अनिवार्य हैं। प्रत्येक प्रश्न के निर्धारित अंक उसके समक्ष दिए गए हैं।
- (iii) गणनात्मक प्रश्नों में, गणना के समस्त पद दीजिए।
- (iv) प्रश्नों के प्रासंगिक उत्तर दीजिए।
- (v) जहाँ आवश्यक हो, रासायनिक समीकरण दीजिए।

1. इस प्रश्न के प्रत्येक खण्ड में चार विकल्प दिए गए हैं। सही विकल्प चुनकर उसे अपनी उत्तर-पुस्तिका में लिखिए।

1

(क) पोटैशियम सल्फेट है :

- (i) आयनिक ठोस
- (ii) धात्विक ठोस
- (iii) सहसंयोजक ठोस
- (iv) आण्विक ठोस

(ख) 180 ग्राम जल में कितने मोल जल होते हैं ?

1

- (i) 1 मोल
- (ii) 18 मोल
- (iii) 10 मोल
- (iv) 100 मोल

- (ग) अभिक्रिया $A + 2B \longrightarrow$ उत्पाद के लिए वेग स्थिरांक, समीकरण $R = [A][B]^2$ द्वारा व्यक्त किया जाता है। तो अभिक्रिया की आण्विकता होगी : 1
 (i) 2
 (ii) 3
 (iii) 5
 (iv) 6
- (घ) कैनिज़ारो अभिक्रिया द्वारा फॉर्मेलिहाइड बनाता है : 1
 (i) मेथेन
 (ii) मेथिल ऐल्कोहॉल
 (iii) मेथिल साथनाइड
 (iv) ऐथिल ऐमीन
- (ङ) $R - NH_2 + CHCl_3 + 3KOH \text{ (alc.)} \longrightarrow RNC + 3KCl + 3H_2O$ 1
 उपर्युक्त अभिक्रिया है :
 (i) युअ्मन अभिक्रिया
 (ii) कार्बिलऐमीन अभिक्रिया
 (iii) हॉफमान ब्रोमामाइड अभिक्रिया
 (iv) श्पिट अभिक्रिया
- (च) ग्लूकोज में कितने प्राथमिक ऐल्कोहॉलिक सप्तूह होते हैं ? 1
 (i) एक
 (ii) दो
 (iii) तीन
 (iv) चार
2. (क) फलक-केन्द्रित धनीय (fcc) एकक कोस्थिका में परमाणुओं की कुल संख्या की गणना कीजिए। 2
- (ख) दो द्रवों A तथा B के वाष्प दाब क्रमशः 80 mm तथा 60 mm हैं। A के 3 मोल तथा B के 2 मोल मिलाने पर प्राप्त मिश्रित विलयन का कुल वाष्प दाब क्या होगा ? 2
- (ग) सिल्वर नाइट्रेट के घोल में कॉपर की छड़ डुबोने पर घोल का रंग नीला क्यों हो जाता है ? व्याख्या कीजिए। 2
- (घ) शॉटकी दोष को समझाइए। 2

3. (क) संकुलन दक्षता (क्षमता) को परिभाषित कीजिए। 2
- (ख) (i) सल्फर डाइऑक्साइड, और (ii) तारपीन के तेल के साथ क्लोरीन की होने वाली अभिक्रियाओं के लिए रासायनिक समीकरण लिखिए। 2
- (ग) उपसहसंयोजन यौगिक $[Cu(NH_3)_4]SO_4$ में कॉपर (Cu) की ऑक्सीकरण संख्या ज्ञात कीजिए। 2
- (घ) ग्लूकोस की ब्रोमीन जल के साथ होने वाली अभिक्रिया का रासायनिक समीकरण लिखिए। 2
4. (क) नेन्टर्ट समीकरण लिखिए तथा उसकी एक उपयोगिता बताइए। 3
- (ख) द्रव-स्मैरी और द्रव-विरोधी कोलॉइडों में अन्तर स्पष्ट कीजिए। 3
- (ग) ऐसीटिलीकरण पर संक्षिप्त टिप्पणी लिखिए। 3
- (घ) प्रोटीन के विकृतीकरण पर संक्षिप्त टिप्पणी लिखिए। 3
5. (क) $27^\circ C$ पर यूरिया के $\frac{M}{10}$ विलयन का परासरण दब ज्ञात कीजिए।
(R = 0.0821 लीटर वायु./K मोल) 4
- (ख) प्रथम कोटि की अभिक्रिया $N_2O_5(g) \longrightarrow 2NO_2(g) + \frac{1}{2} O_2(g)$ में 318 K पर N_2O_5 की प्रारम्भिक सान्द्रता 1.24×10^{-2} मोल/लीटर थी, जो 60 मिनट के उपरान्त 0.20×10^{-2} मोल/लीटर रह गई। 318 K पर अभिक्रिया के बेग स्थिरांक की गणना कीजिए। 4
- (ग) संक्रमण तत्त्वों की चार विशेषताएँ लिखिए। 4
- (घ) उपसहसंयोजी यौगिकों के IUPAC पदानि में नामकरण पर संक्षिप्त टिप्पणी लिखिए। 4
6. (क) ओज़ोन बनाने के रासायनिक समीकरण एवं इसके तीन ऑक्सीकारक गुणों को लिखिए। 2+1+1+1=5
अथवा
- अम्लराज (ऐक्वारेजिया) क्या है? क्या होता है जब अम्लराज (i) गोल्ड, तथा (ii) प्लैटिनम से अभिक्रिया करता है? 1+2+2=5
- (ख) मोनोहाइड्रिक ऐल्कोहॉल बनाने की दो विधियों के रासायनिक समीकरण लिखिए तथा ऐथिल ऐल्कोहॉल की सान्द्र सल्फ्यूरिक अम्ल (H_2SO_4) के साथ विभिन्न तापों पर होने वाली अभिक्रियाओं के रासायनिक समीकरण भी लिखिए। 2+3=5
अथवा

निम्नलिखित अभिक्रियाओं पर संक्षिप्त टिप्पणियाँ लिखिए : $2\frac{1}{2} + 2\frac{1}{2} = 5$

- (i) राइमा-टीपन अभिक्रिया
- (ii) कोल्बे अभिक्रिया

7. (क) निम्नलिखित को क्लोरोबेन्जीन से कैसे प्राप्त करेंगे (केवल रासायनिक समीकरण लिखिए) ? 2+1+2=5

- (i) पिक्रिक अम्ल
- (ii) डाइक्लोरोबेन्जीन
- (iii) क्लोरोबेन्जीन सल्फोनिक अम्ल

अथवा

हैलोऐल्केन में न्यूक्लिओफिलिक (नाभिकस्नेही) प्रतिस्थापन अभिक्रियाओं पर संक्षिप्त टिप्पणी लिखिए। 5

(ख) निम्नलिखित से बेन्जोइक अम्ल आप कैसे प्राप्त करेंगे ? 2+2+1=5

- (i) टॉल्डीन
- (ii) बेन्जामाइड
- (iii) ऐथिल बेन्जोएट

अथवा

निम्नलिखित पर संक्षिप्त टिप्पणियाँ लिखिए :

- (i) ऐल्डोल संघनन
- (ii) विकार्बोक्सिलन
- (iii) कैनिजारो अभिक्रिया

2+1+2=5

(English Version)

Instructions :

- (i) First 15 minutes are allotted for the candidates to read the question paper.
- (ii) All questions are compulsory. Marks allotted to each question are given against it.
- (iii) In numerical questions, give all the steps of calculation.
- (iv) Give relevant answers to the questions.
- (v) Give chemical equations, wherever necessary.

1. Four alternatives are given in each part of this question. Write the correct alternative in your answer-book.

- (a) Potassium sulphate is :
- (i) Ionic solid
 - (ii) Metallic solid
 - (iii) Covalent solid
 - (iv) Molecular solid

1

- (b) How many moles of water are present in 180 gm of water ? 1
- (i) 1 mole
 - (ii) 18 moles
 - (iii) 10 moles
 - (iv) 100 moles
- (c) The rate constant of a reaction $A + 2B \longrightarrow$ Product is expressed by the equation $R = [A][B]^2$. The molecularity of reaction will be : 1
- (i) 2
 - (ii) 3
 - (iii) 5
 - (iv) 6
- (d) On Cannizzaro's reaction formaldehyde forms : 1
- (i) Methane
 - (ii) Methyl alcohol
 - (iii) Methyl cyanide
 - (iv) Ethyl amine
- (e) $R - NH_2 + CHCl_3 + 3KOH \text{ (alc.)} \longrightarrow RNC + 3KCl + 3H_2O$
The above reaction is : 1
- (i) Coupling reaction
 - (ii) Carbylamine reaction
 - (iii) Hoffmann bromamide reaction
 - (iv) Schmidt reaction
- (f) How many primary alcoholic groups are present in glucose ? 1
- (i) One
 - (ii) Two
 - (iii) Three
 - (iv) Four
2. (a) Calculate the total number of atoms in face-centered cubic unit cell. 2
- (b) The vapour pressures of two liquids A and B are 80 mm and 60 mm respectively. Calculate the total vapour pressure of a solution obtained by mixing 3 moles of A and 2 moles of B. 2
- (c) When a copper rod is dipped into silver nitrate solution, why does the colour of the solution turn blue ? Explain. 2
- (d) Explain Schottky defect. 2

3. (a) Define packing efficiency. 2
- (b) Write the chemical equation for the reactions of chlorine with (i) sulphur dioxide, and (ii) turpentine oil. 2
- (c) Find out the oxidation number of Copper (Cu) in the following coordination compound : $[\text{Cu}(\text{NH}_3)_4]\text{SO}_4$. 2
- (d) Write the chemical equation of the reaction of glucose with bromine water. 2
-
4. (a) Write Nernst equation and its one application. 3
- (b) Differentiate between Lyophilic and Lyophobic colloids. 3
- (c) Write a short note on Acetylation. 3
- (d) Write a short note on denaturation of proteins. 3
-
5. (a) Find the osmotic pressure of $\frac{M}{10}$ urea solution at 27°C .
($R = 0.0821 \text{ litre atm/K mol}$) 4
- (b) The initial concentration of N_2O_5 in the following first order reaction $\text{N}_2\text{O}_5(\text{g}) \longrightarrow 2\text{NO}_2(\text{g}) + \frac{1}{2}\text{O}_2(\text{g})$ was $1.24 \times 10^{-2} \text{ mol L}^{-1}$ at 318 K . The concentration of N_2O_5 after 60 minutes was $0.20 \times 10^{-2} \text{ mol L}^{-1}$. Calculate the rate constant of the reaction at 318 K . 4
- (c) Write four characteristics of transition elements. 4
- (d) Write a short note on IUPAC system of nomenclature of coordination compounds. 4
-
6. (a) Write chemical equation for the preparation of ozone and its three oxidizing properties. 2+1+1+1=5

OR

What is Aqua Regia ? What happens when aqua regia reacts with (i) Gold, and (ii) Platinum. 1+2+2=5

(b) Write chemical equations of two methods of preparation of monohydric alcohol and also write chemical equation of the reactions of ethyl alcohol with conc. sulphuric acid (H_2SO_4) at different temperatures. $2+3=5$

OR

Write short notes on the following :

$$2 \frac{1}{2} + 2 \frac{1}{2} = 5$$

- (i) Reimer-Tiemann reaction
- (ii) Kolbe reaction

7. (a) How will you obtain the following (write only chemical equation) from Chlorobenzene ? $2+1+2=5$
- (i) Picric Acid
 - (ii) Dichlorobenzene
 - (iii) Chlorobenzene Sulphonic Acid

OR

Write a short note on Nucleophilic substitution reactions in haloalkanes.

5

- (b) How will you obtain Benzoic Acid from the following ? $2+2+1=5$
- (i) Toluene
 - (ii) Benzamide
 - (iii) Ethyl benzoate

OR

Write short notes on the following :

$$2+1+2=5$$

- (i) Aldol condensation
- (ii) Decarboxylation
- (iii) Cannizzaro reaction